


part no.	MODEL NO.	BIP-8	QUOTE REF.	
BIP-8	ASSY NO	6310399-162	REF. NUMB.	

REV.	DESCRIPTION	DATE	APP	STAT
1	ECO6314-070: ADDED RHODIUM PLATING TO STEEL BALL	4/19/2016	PJY	R



3. SPRING FORCE AT .060" = 6.2 OZ. ± 20%.
FULL TRAVEL = .090"

2. MATERIALS:
 PLUNGER: BeCu, GOLD PLATED.
 BARREL: BRASS, GOLD PLATED.
 SPRING: STAINLESS STEEL, GOLD PLATED.
 BALL: STAINLESS STEEL, RHODIUM PLATED

1. ALL DIMENSIONS NOMINAL UNLESS OTHERWISE SPECIFIED.

UNLESS OTHERWISE SPECIFIED,
DIMENSIONS ARE IN INCHES.

TOLERANCES ARE:
 .X = +/- .06 ANGLES = +/- 2°
 .XX = +/- .03
 .XXX = +/- .005
 .XXXX = +/- .0005
 TAPER ON ANY DIA. .002/IN MAX
 ALL CORNER RADII .002 MAX

TITLE	signature	date
dr	GREG ZETWO	12/2/2013
chk		
app		
rel	ECO6313-097	



EVERETT CHARLES
TECHNOLOGIES

title
PROBE ASSEMBLY
 BATTERY INTERCONNECT PROBE

SCALE 12:1	DO NOT SCALE DRAWING	SHEET 1 OF 1	cage code 8T332	SIZE B	part no BIP-8	rev 1
------------	----------------------	--------------	--------------------	-----------	------------------	----------

NOTES: UNLESS OTHERWISE SPECIFIED:

ALL DIMENSIONS APPLY TO THE PREPLATE CONDITION.
PART TO BE FREE OF BURRS AND DEEP SCRATCHES.

STATUS CODES
R = REPLACE - OK TO BUILD TO PREVIOUS REV. S = SCRAP - MUST BE BUILT TO THE CURRENT REV. X = SPECIAL DISPOSITION - SEE ECO

THE INFORMATION CONTAINED IN THIS DOCUMENT IS PROPRIETARY TO EVERETT CHARLES TECHNOLOGIES. THE INFORMATION CONTAINED IN THIS DOCUMENT IS NOT TO BE SHOWN, REPRODUCED, OR DISCLOSED TO ANYONE OUTSIDE OF EVERETT CHARLES TECHNOLOGIES WITHOUT THE PRIOR WRITTEN PERMISSION OF EVERETT CHARLES TECHNOLOGIES.