

# Unit UT 33B+ Dijital Multimetre



Yeni nesil UT33 + serisi, tanıtım amaçlı dijital multimetreler için performans standartlarını yeniden tanımlamaktadır. Yenilikçi endüstriyel tasarımı, bu ürünlerin 2 metre düşüşe dayanabilmesini sağlar. Yeni LCD ekran düzeni daha iyi bir kullanıcı deneyimi sunuyor. UT33 + serisi güvenlik standartları, kullanıcıların CAT II 600V ortamında güvenle çalışabilmelerini sağlamak için geliştirilmiştir.

## Ana Özellikler

1. Clear LCD ekran
2. rahat koruyucu kapak ile donatılmış, test kurşun asılı yuvası
3. hassas koruma ile 2m damla geçirmez
4. Otomatik kapanma
5. Otomatik arka ışık kapalı
6. yüksek sesli buzzer
7. Ergonomik tasarımlı döner anahtar

Max.Dc Akım	: 10 Amper
Max.Ac Akım	: 10 Amper
Max.Dc Volt	: 600 Dc Volt
Max.Ac Volt	: 600 Ac Volt
Kullanım Alanı	: El Tipi Multimetre

Specifications	Range	Accuracy
		UT33B+
DC voltage (V)	200.0mV?600V	±(0.5%?3)
AC voltage (V)	200.0mV?600V	?
	200.0V?600V	±(1.2%+3)
DC current (A)	200.0?A?10.00A	±(1.0%+3)
AC current (A)	200.0?A?10.00A	NA
Resistance (?)	200.0??200.0M?	?
	200.0??20.00M?	±(0.8%+2)
Capacitance (F)	2.000nF?2.000mF	NA
Features		
Max display	?	1999
Auto power off	?	?
Auto backlight off	?	?
Diode test	?	?
Continuity buzzer	?	?
Drop test	?	2m
Test probe holder	?	?
Safety rating	?	CAT ? 600V
Range selection	?	Manual
Battery test	?	1.5V/9V/12V
Temperature (°C/°F)	?	?
NCV	?	?

General Characteristics	
Power	AAA battery (zn-mn) 1.5V×2
LCD size	66mm*51mm
Product color	Red and grey
Product net weight	473g
Product size	131mm×95mm×58mm
Standard accessories	Test lead, manual
Standard individual packing	Gift box, manual
Standard quantity per carton	60pcs
Standard carton measurement	640mm×310mm×350mm