SPECIFICATION FOR APPROVAL

CUSTOMER: Ozdisan

DESCRIPTION: BRUSHLESS DC FAN

DIMENSIONS: $60 \times 60 \times 20$ m

MODELNO.: PF6020DC P/N:PF6020D24HB



DRAW BY: David Zhang

CHECK BY: Charlie Chen

APPROVED BY:

http://www.pfmotorfan.com	SPEC NO.	PF 6020D24HB	REVISE DATE	21 Nov.2019
Email: sales@pfmotorfan.com	PAGE	1 OF 5	ISSUE DATE	08 Aug.2001

SPECIFICATIONS

1.	Rated Voltage	24VDC	
2.	Operating Voltage	12-27.5VDC	
3.	Starting Voltage	12VDC	
4.	Rated Speed	5000 RPM±5%	
5.	Air Flow	26.5 CFM	
6.	Static Pressure	5.7 mmH ₂ O	
7.	Rated Current	0.10Amp	
8.	Input Power	2.4Watts	
9.	Noise Level	37.9dB(A)	
10.	Direction of Rotation	Counter-Clockwise	
11.	Motor Protection	Impedance Protected	
12.	Operation Temperature	-20°C-80°C	
13.	Operation Humidity	20%-80%	
14.	Bearing System	Ball Bearing	
15.	Life at 25℃	50,000hours	
16.	Weight	50 g	
17.	Approvals	CE RoHS	
18.	Function	Auto Restart	

http://www.pfmotorfan.com	SPEC NO.	PF 6020D24HB	REVISE DATE	21 Nov.2019	
Email: sales@pfmotorfan.com	PAGE	2 OF 5	ISSUE DATE	08 Aug.2001	

DESCTIPTION

1.	Motor Design	Reliable Brushless Motor Construction		
2.	Insulation resistance	10 Mega-ohms minimum at 500 VDC		
3.	Dielectric	500VAC/min, current<5mA		
	Strength			
4	Motor			
4.	Protection	Impedance protected		
		Measured in a semi-anechoic chamber		
	Noise Level	With background noise level below 15		
5.		dBA. The fan is running in free air with		
		Microphone at a distance of one meter		
		From the fan intake.		
	Air Performance	Measured by a double chamber. The value		
6.		is recorded when the fan speed is stabilized		
		at rated voltage		
7.	Tolerances	±15% on rated power and current		


http://www.pfmotorfan.com	SPEC NO.	PF 6020D24HB	REVISE DATE	21 Nov.2019
Email: sales@pfmotorfan.com	PAGE	3 OF 5	ISSUE DATE	08 Aug.2001

MATERIAL

Materials

1.	Frame	Thermoplastic PBT
2.	Blade	Thermoplastic PBT
3.	Lead Wire	24AWG

DIMENSIONS



http://www.pfmotorfan.com	SPEC NO.	PF 6020D24HB	REVISE DATE	21 Nov.2019
Email: sales@pfmotorfan.com	PAGE	4 OF 5	ISSUE DATE	08 Aug.2001

NOTES

- 1. PF MOTOR & FAN will not guarantee the products if the application of our products is exceeded the limitation, which is specified on this specification.
- 2. In case of change of the specification specified on this document, a written notice is requested in advance.
- 3. Please do not touch the impeller with pressure and never bring the fan with lead wire. The bearings and lead wire may be damaged.
- 4. No guarantee on the products against the safety problem or failure caused by powder dust, drop of water or insect
- 5. If there is any data or related documentation different from this data sheet, this data sheet is the principal reference.
- 6. For the purpose of MIS, please indicate SPEC No. on every order.
- 7. In case of the fan has no polarity protection function, wires with same color (i.e. red + red, black +black)

http://www.pfmotorfan.com	SPEC NO.	PF 6020D24HB	REVISE DATE	21 Nov.2019
Email: sales@pfmotorfan.com	PAGE	5 OF 5	ISSUE DATE	08 Aug.2001