


SPECIFICATION FOR APPROVAL

CUSTOMER:				DATE:			
PART NO: CB1608-102Y-N				DWG.NO: TE9825111			
CUSTOMER PART NO:				CUST.DWG.NO:			
(1) DIMENSIONS (UNIT: mm) 				A	1.6 ± 0.2	m/m	
				B	0.8 ± 0.2	m/m	
				C	0.8 ± 0.2	m/m	
				D	0.3 ± 0.2	m/m	
				E		m/m	
				F		m/m	
				G		m/m	
				H		m/m	
				I		m/m	
				J		m/m	
(2) ELECTRICAL REQUIREMENTS							
Z (Ω)	1000 ± 25%	TEST FREQ	100MHz/100mV				
RDC (Ω)	0.6 (MAX)	TEST FREQ					
IDC (mA)	100 (MAX)	TEST FREQ					
TEST INSTRUMENTS HP4338A MILLIOHMMETER HP4291B RF IMPEDANCE/MATERIAL ANALYZER				APPROVED BY			
				吳載敏			
				CHECKED BY			
				張明德			
				DRAWN BY			
				黃慧診			

CORE MASTER ENTERPRISE CO., LTD.

TEL:886-2-8919-1288 FAX:886-2-8919-1298 WEB:www.coremaster.com.tw

TEST DATA

CUSTOMER :				DATE :					
PART NO: CB1608-102Y-N				DWG.NO: TE9825111					
CUSTOMER PART NO :				CUST.DWG.NO :					
ITEM	Z (Ω)	RDC (Ω)	IDC (mA)	DIMENSION (UNIT : mm)					
				A	B	C	D		
FREQ	100MHz /100mV								
SPEC	1000 ± 25%	0.6 (MAX)	100 (MAX)	1.6 ± 0.2	0.8 ± 0.2	0.8 ± 0.2	0.3 ± 0.2		
1	980.2	0.240	OK	1.60	0.84	0.82	0.32		
2	990.5	0.246	OK	1.62	0.82	0.80	0.30		
3	998.2	0.234	OK	1.60	0.81	0.81	0.32		
4	943.0	0.241	OK	1.61	0.84	0.80	0.30		
5	965.9	0.248	OK	1.60	0.83	0.82	0.31		
6	937.1	0.236	OK	1.61	0.81	0.81	0.34		
7	928.8	0.236	OK	1.64	0.82	0.83	0.33		
8	977.0	0.241	OK	1.63	0.81	0.81	0.30		
9	941.1	0.235	OK	1.60	0.83	0.80	0.31		
10	951.3	0.246	OK	1.61	0.81	0.82	0.32		
X	961.3	0.240		1.61	0.82	0.81	0.32		
R	69.4	0.014		0.04	0.03	0.03	0.04		
						APPROVED BY			
						吳載敏			
						CHECKED BY			
						張明德			
						DRAWN BY			
						黃慧診			

CORE MASTER ENTERPRISE CO., LTD.

TEL:886-2-8919-1288 FAX:886-2-8919-1298 WEB:www.coremaster.com.tw

CB1608-102Y-N

