


SPECIFICATION FOR APPROVAL

CUSTOMER:			DATE:			
PART NO: LCB1608-121Y-N			DWG.NO: TE9803183			
CUSTOMER PART NO:			CUST.DWG.NO:			
<p>(1) DIMENSIONS (UNIT: mm)</p> 			A	1.6 ± 0.2	m/m	
			B	0.8 ± 0.2	m/m	
			C	0.8 ± 0.2	m/m	
			D	0.3 ± 0.2	m/m	
			E		m/m	
			F		m/m	
			G		m/m	
			H		m/m	
			I		m/m	
			J		m/m	
(2) ELECTRICAL REQUIREMENTS						
Z (Ω)	120 ± 25%	TEST FREQ				100MHz/100mV
RDC (Ω)	0.1 (MAX)	TEST FREQ				
IDC (mA)	2500 (MAX)	TEST FREQ				
TEST INSTRUMENTS HP4338A MILLIOHMMETER HP4291B RF IMPEDANCE/MATERIAL ANALYZER			APPROVED BY			
			吳載敏			
			CHECKED BY			
			張明德			
			DRAWN BY			
			黃慧診			

CORE MASTER ENTERPRISE CO., LTD.

TEL:886-2-8919-1288 FAX:886-2-8919-1298 WEB:www.coremaster.com.tw

TEST DATA

CUSTOMER :				DATE :					
PART NO: LCB1608-121Y-N				DWG.NO: TE9803183					
CUSTOMER PART NO :				CUST.DWG.NO :					
ITEM	Z (Ω)	RDC (Ω)	IDC (mA)	DIMENSION (UNIT : mm)					
				FREQ	A	B	C	D	
SPEC	120 ± 25%	0.1 (MAX)	2500 (MAX)	1.6 ± 0.2	0.8 ± 0.2	0.8 ± 0.2	0.3 ± 0.2		
1	104.9	0.054	OK	1.62	0.85	0.81	0.29		
2	99.8	0.055	OK	1.65	0.85	0.85	0.30		
3	105.7	0.058	OK	1.62	0.82	0.81	0.33		
4	105.3	0.055	OK	1.64	0.84	0.82	0.28		
5	106.9	0.051	OK	1.62	0.85	0.81	0.30		
6	105.4	0.053	OK	1.63	0.82	0.86	0.31		
7	110.0	0.051	OK	1.65	0.83	0.82	0.29		
8	108.7	0.049	OK	1.62	0.82	0.83	0.30		
9	106.5	0.052	OK	1.63	0.82	0.82	0.28		
10	104.4	0.050	OK	1.64	0.83	0.84	0.31		
X	105.8	0.053		1.63	0.83	0.83	0.30		
R	10.2	0.009		0.03	0.03	0.05	0.05		
						APPROVED BY			
						吳載敏			
						CHECKED BY			
						張明德			
						DRAWN BY			
						黃慧診			

CORE MASTER ENTERPRISE CO., LTD.

TEL:886-2-8919-1288 FAX:886-2-8919-1298 WEB:www.coremaster.com.tw

LCB1608-121Y-N

