



ZHONGSHAN DONE LIGHTING TECHNOLOGY CO.,LTD.

Add: No.3 of Kanglong 3rd Road Henglan Town, Zhongshan City 528478 Guangdong, China

Tel: +86 760 8983 8379 Fax: +86 760 8983 8396 E-mail: done24@donepower.com.cn



High PF Indoor Lighting Driver with TUV SAA CB CCC---LEP Series (5 year

Led driver Model	Input	Output	Current	Power	PF	Efficiency	Certificate	Size	Price (USD)	Price(RMB)
ADS-3W300-LEP	AC85-265V	DC3-11V	300mA±5%	1-3*1W	≥0.95	≥0.72	TUV SAA CCC CB	82*33*20mm	\$1.4	¥8.5
ADS-3W600-LEP	AC85-265V	DC3-5V	600mA±5%	1*3W	≥0.95	≥0.6	TUV SAA CCC CB	82*33*20mm	\$1.4	¥8.5
ADS-7W300-LEP	AC85-265V	DC12-25V	300mA±5%	4-7*1W	≥0.95	≥0.78	TUV SAA CCC CB	86*35*22mm	\$1.97	¥12
ADS-7W600-LEP	AC85-265V	DC6-12V	600mA±5%	2-3*3W	≥0.95	≥0.75	TUV SAA CCC CB	86*35*22mm	\$1.97	¥12
ADS-12W300-LEP	AC85-265V	DC20-43V	300mA±5%	6-12S 1P	≥0.95	≥0.84	TUV SAA CCC CB	96*35*22mm	\$2.3	¥14
ADS-12W600-LEP	AC85-265V	DC12-22V	600mA±5%	4-6*3W	≥0.95	≥0.84	TUV SAA CCC CB	96*35*22mm	\$2.3	¥14
ADS-20W300-LEP	AC85-265V	DC36-72V	300mA±5%	12-20*1W	≥0.95	≥0.86	TUV SAA CCC CB	118*40*25mm	\$3.12	¥19
ADS-20W600-LEP	AC85-265V	DC20-36V	600mA±5%	6-10S 2P	≥0.95	≥0.86	TUV SAA CCC CB	118*40*25mm	\$3.12	¥19
ADS-28W300-LEP	AC85-265V	DC54-100V	300mA±5%	18-28*1W	≥0.95	≥0.88	TUV SAA CCC CB	134*40*25mm	\$3.94	¥24
ADS-28W600-LEP	AC85-265V	DC30-50V	600mA±5%	10-14*3W	≥0.95	≥0.88	TUV SAA CCC CB	134*40*25mm	\$3.94	¥24
ADS-30W900-LEP	AC85-265V	DC20-36V	900mA±5%	6-10S 3P	≥0.95	≥0.88	TUV SAA CCC CB	134*40*25mm	\$3.94	¥24
ADS-36W300-LEP	AC85-265V	DC90-130V	300mA±5%	30-36*1W	≥0.95	≥0.90	TUV SAA CCC CB	144*44*28mm	\$5.58	¥34
ADS-36W900-LEP	AC85-265V	DC20-43V	900mA±5%	6-12S 3P	≥0.95	≥0.90	TUV SAA CCC CB	144*44*28mm	\$5.58	¥34
ADS-40W1A2-LEP	AC85-265V	DC20-43V	1200mA±5%	6-12S 4P	≥0.95	≥0.90	TUV SAA CCC CB	144*44*28mm	\$5.58	¥34
ADS-50W1A5-LEP	AC85-265V	DC20-36V	1500mA±5%	6-10S 5P	≥0.95	≥0.90	TUV SAA CCC CB	144*44*28mm	\$5.58	¥34
ADS-60W1A8-LEP	AC85-265V	DC20-43V	1800mA±5%	6-12S 6P	≥0.95	≥0.90	TUV SAA CCC CB	154*52*30mm	\$7.55	¥46
ADS-70W2A1-LEP	AC85-265V	DC20-36V	2100mA±5%	6-10S 7P	≥0.95	≥0.90	TUV SAA CCC CB	154*52*30mm	\$7.55	¥46



ZHONGSHAN DONE LIGHTING TECHNOLOGY CO.,LTD.

Address: No.3 of Kanglong 3rd Road Henglan Town, Zhongshan City 528478 Guangdong, China

Tel: +86 760 8983 8379 Fax: +86 760 8983 8396 E-mail: done24@donepower.com.cn



High PF and No Flash Indoor lighting driver with TUV SAA CCC CB---LEF Series(5 years)

Led driver Model	Input	Output	Current	Power	PF	Efficiency	Certificate	Size	Price (USD)	Price(RMB)
ADS-12W300-LEF	AC85-265V	DC20-43V	300mA±5%	6-12S 1P	≥0.95	≥0.84	TUV SAA CCC CB	96*35*22mm	\$2.79	¥17
ADS-12W600-LEF	AC85-265V	DC12-22V	600mA±5%	4-6*3W	≥0.95	≥0.84	TUV SAA CCC CB	96*35*22mm	\$2.79	¥17
ADS-20W300-LEF	AC85-265V	DC36-72V	300mA±5%	12-20*1W	≥0.95	≥0.86	TUV SAA CCC CB	118*40*25mm	\$3.78	¥23
ADS-20W600-LEF	AC85-265V	DC20-36V	600mA±5%	6-10S 2P	≥0.95	≥0.86	TUV SAA CCC CB	118*40*25mm	\$3.78	¥23
ADS-28W300-LEF	AC85-265V	DC54-100V	300mA±5%	18-28*1W	≥0.95	≥0.88	TUV SAA CCC CB	134*40*25mm	\$4.6	¥28
ADS-28W600-LEF	AC85-265V	DC30-50V	600mA±5%	10-14*3W	≥0.95	≥0.88	TUV SAA CCC CB	134*40*25mm	\$4.6	¥28
ADS-30W900-LEF	AC85-265V	DC20-36V	900mA±5%	6-10S 3P	≥0.95	≥0.88	TUV SAA CCC CB	134*40*25mm	\$4.6	¥28
ADS-36W300-LEF	AC85-265V	DC90-130V	300mA±5%	30-36*1W	≥0.95	≥0.90	TUV SAA CCC CB	144*44*28mm	\$6.23	¥38
ADS-48W600-LEF	AC85-265V	DC45-90V	600mA±5%	15-24*3W	≥0.95	≥0.90	TUV SAA CCC CB	125*37*28mm	\$6.23	¥38
ADS-42W900-LEF	AC85-265V	DC30-50V	900mA±5%	10-14S 3P	≥0.95	≥0.90	TUV SAA CCC CB	144*44*28mm	\$6.23	¥38
ADS-40W1A2-LEP	AC85-265V	DC20-43V	1200mA±5%	6-12S 4P	≥0.95	≥0.90	TUV SAA CCC CB	144*44*28mm	\$6.23	¥38
ADS-50W1A5-LEF	AC85-265V	DC20-36V	1500mA±5%	6-10S 5P	≥0.95	≥0.90	TUV SAA CCC CB	144*44*28mm	\$6.23	¥38
ADS-60W1A8-LEF	AC85-265V	DC20-43V	1800mA±5%	6-12S 6P	≥0.95	≥0.90	TUV SAA CCC CB	154*52*30mm	\$8.04	¥49
ADS-70W2A1-LEF	AC85-265V	DC20-36V	2100mA±5%	6-10S 7P	≥0.95	≥0.90	TUV SAA CCC CB	154*52*30mm	\$8.04	¥49



High PF and No Flash Indoor lighting Driver---LF Series (3 years)

Led driver Model	Input	Output	Current	Power	PF	Efficiency	Certificate	Size	Price (USD)	Price(RMB)
DL-12W300-LF	AC85-265V	DC20-43V	300mA±5%	6-12S 1P	≥0.95	≥0.84	CE	75*32*20mm	\$2.14	¥13
DL-12W600-LF	AC85-265V	DC12-22V	600mA±5%	4-6*3W	≥0.95	≥0.84	CE	75*32*20mm	\$2.14	¥13
DL-20W300-LF	AC85-265V	DC36-72V	300mA±5%	12-20*1W	≥0.95	≥0.86	CE	90*35*22mm	\$2.63	¥16
DL-20W600-LF	AC85-265V	DC20-36V	600mA±5%	6-10S 2P	≥0.95	≥0.86	CE	90*35*22mm	\$2.63	¥16
DL-28W300-LF	AC85-265V	DC54-100V	300mA±5%	18-28*1W	≥0.95	≥0.88	CE	105*38*24mm	\$3.12	¥19
DL-28W600-LF	AC85-265V	DC30-50V	600mA±5%	10-14*3W	≥0.95	≥0.88	CE	105*38*24mm	\$3.12	¥19
DL-30W900-LF	AC85-265V	DC20-36V	900mA±5%	6-10S 3P	≥0.95	≥0.88	CE	105*38*24mm	\$3.12	¥19
DL-36W300-LF	AC85-265V	DC90-130V	300mA±5%	30-36*1W	≥0.95	≥0.90	CE	130*44*28mm	\$4.1	¥25
DL-48W600-LF	AC85-265V	DC45-90V	600mA±5%	15-24*3W	≥0.95	≥0.90	CE	130*44*28mm	\$4.1	¥25
DL-42W900-LF	AC85-265V	DC30-50V	900mA±5%	10-14S 3P	≥0.95	≥0.90	CE	130*44*28mm	\$4.1	¥25
DL-40W1A2-LF	AC85-265V	DC20-43V	1200mA±5%	6-12S 4P	≥0.95	≥0.90	CE	130*44*28mm	\$4.1	¥25
DL-50W1A5-LF	AC85-265V	DC20-36V	1500mA±5%	6-10S 5P	≥0.95	≥0.90	CE	130*44*28mm	\$4.1	¥25



ZHONGSHAN DONE LIGHTING TECHNOLOGY CO.,LTD.

Address: No.3 of Kanglong 3rd Road Henglan Town, Zhongshan City 528478 Guangdong, China

Tel: +86 760 8983 8379 Fax: +86 760 8983 8396 E-mail: done24@donepower.com.cn



Low Consumption Indoor lighting Driver with TUV SAA CCC CB----LE Series(5 years)

Led driver Model	Input	Output	Current	Power	PF	Efficiency	Certificate	Size	Price (USD)	Price(RMB)
ADS-3W300-LE	AC85-265V	DC6-12V	300mA±5%	1-3*1W	≥0.50	≥0.72	TUV SAA CCC CB	80*31*20mm	\$1.23	¥7.5
ADS-3W600-LE	AC85-265V	DC2-4V	600mA±5%	1*3W	≥0.50	≥0.6	TUV SAA CCC CB	80*31*20mm	\$1.23	¥7.5
ADS-7W300-LE	AC85-265V	DC12-25V	300mA±5%	4-7*1W	≥0.50	≥0.78	TUV SAA CCC CB	85*35*23mm	\$1.56	¥9.5
ADS-7W600-LE	AC85-265V	DC6-12V	600mA±5%	2-3*3W	≥0.50	≥0.75	TUV SAA CCC CB	85*35*23mm	\$1.56	¥9.5
ADS-12W300-LE	AC85-265V	DC20-43V	300mA±5%	6-12S 1P	≥0.50	≥0.84	TUV SAA CCC CB	95*35*23mm	\$1.81	¥11
ADS-12W600-LE	AC85-265V	DC12-22V	600mA±5%	4-6*3W	≥0.50	≥0.84	TUV SAA CCC CB	95*35*23mm	\$1.81	¥11
ADS-20W300-LE	AC85-265V	DC36-72V	300mA±5%	12-20*1W	≥0.50	≥0.86	TUV SAA CCC CB	110*42*28mm	\$2.46	¥15
ADS-20W600-LE	AC85-265V	DC20-36V	600mA±5%	6-10S 2P	≥0.50	≥0.86	TUV SAA CCC CB	110*42*28mm	\$2.46	¥15
ADS-28W300-LE	AC85-265V	DC54-100V	300mA±5%	18-28*1W	≥0.50	≥0.88	TUV SAA CCC CB	130*42*28mm	\$2.79	¥17
ADS-28W600-LE	AC85-265V	DC30-50V	600mA±5%	10-14*3W	≥0.50	≥0.88	TUV SAA CCC CB	130*42*28mm	\$2.79	¥17
ADS-30W900-LE	AC85-265V	DC20-36V	900mA±5%	6-10S 3P	≥0.50	≥0.88	TUV SAA CCC CB	130*42*28mm	\$2.79	¥17
ADS-36W300-LE	AC85-265V	DC90-130V	300mA±5%	30-36*1W	≥0.50	≥0.90	TUV SAA CCC CB	145*45*28mm	\$4.76	¥29
ADS-48W600-LE	AC85-265V	DC45-90V	600mA±5%	15-24*3W	≥0.95	≥0.90	TUV SAA CCC CB	145*45*28mm	\$4.76	¥29
ADS-42W900-LE	AC85-265V	DC30-50V	900mA±5%	10-14S 3P	≥0.50	≥0.90	TUV SAA CCC CB	145*45*28mm	\$4.76	¥29
ADS-40W1A2-LE	AC85-265V	DC20-43V	1200mA±5%	6-12S 4P	≥0.50	≥0.90	TUV SAA CCC CB	145*45*28mm	\$4.76	¥29
ADS-50W1A5-LE	AC85-265V	DC20-36V	1500mA±5%	6-10S 5P	≥0.50	≥0.90	TUV SAA CCC CB	145*45*28mm	\$4.76	¥29



ZHONGSHAN DONE LIGHTING TECHNOLOGY CO.,LTD.

Address: No.3 of Kanglong 3rd Road Henglan Town, Zhongshan City 528478 Guangdong, China

Tel: +86 760 8983 8379 Fax: +86 760 8983 8396 E-mail: done24@donepower.com.cn



High PF Indoor Lighting Driver---LP Series (3 years)

Led driver Model	Input	Output	Current	Power	PF	Efficiency	Certificate	Size	Price (USD)	Price(RMB)
DL-3W300-LP	AC85-265V	DC3-11V	300mA±5%	1-3*1W	≥0.95	≥0.72	CE	65*29*20mm	\$0.99	¥6
DL-3W600-LP	AC85-265V	DC3-5V	600mA±5%	1*3W	≥0.95	≥0.6	CE	65*29*20mm	\$0.99	¥6
DL-7W300-LP	AC85-265V	DC12-25V	300mA±5%	4-7*1W	≥0.95	≥0.78	CE	65*29*20mm	\$1.12	¥6.8
DL-7W600-LP	AC85-265V	DC6-12V	600mA±5%	2-3*3W	≥0.95	≥0.75	CE	65*29*20mm	\$1.12	¥6.8
DL-12W300-LP	AC85-265V	DC20-43V	300mA±5%	6-12S 1P	≥0.95	≥0.84	CE	75*32*20mm	\$1.45	¥8.8
DL-12W600-LP	AC85-265V	DC12-22V	600mA±5%	4-6*3W	≥0.95	≥0.84	CE	75*32*20mm	\$1.45	¥8.8
DL-20W300-LP	AC85-265V	DC36-72V	300mA±5%	12-20*1W	≥0.95	≥0.86	CE	90*35*22mm	\$1.89	¥11.5
DL-20W600-LP	AC85-265V	DC20-36V	600mA±5%	6-10S 2P	≥0.95	≥0.86	CE	90*35*22mm	\$1.89	¥11.5
DL-28W300-LP	AC85-265V	DC54-100V	300mA±5%	18-28*1W	≥0.95	≥0.88	CE	105*38*24mm	\$2.46	¥15
DL-28W600-LP	AC85-265V	DC30-50V	600mA±5%	10-14*3W	≥0.95	≥0.88	CE	105*38*24mm	\$2.46	¥15
DL-30W900-LP	AC85-265V	DC20-36V	900mA±5%	6-10S 3P	≥0.95	≥0.88	CE	105*38*24mm	\$2.46	¥15
DL-36W300-LP	AC85-265V	DC90-130V	300mA±5%	30-36*1W	≥0.95	≥0.90	CE	130*44*28mm	\$3.45	¥21
DL-48W600-LP	AC85-265V	DC45-90V	600mA±5%	15-24*3W	≥0.95	≥0.90	CE	130*44*28mm	\$3.45	¥21
DL-42W900-LP	AC85-265V	DC30-50V	900mA±5%	10-14S 3P	≥0.95	≥0.90	CE	130*44*28mm	\$3.45	¥21
DL-40W1A2-LP	AC85-265V	DC20-43V	1200mA±5%	6-12S 4P	≥0.95	≥0.90	CE	130*44*28mm	\$3.45	¥21
DL-50W1A5-LP	AC85-265V	DC20-36V	1500mA±5%	6-10S 5P	≥0.95	≥0.90	CE	130*44*28mm	\$3.45	¥21



ZHONGSHAN DONE LIGHTING TECHNOLOGY CO.,LTD.

Add: No.3 of Kanglong 3rd Road Henglan Town, Zhongshan City 528478 Guangdong, China

Tel: +86 760 8983 8379 Fax: +86 760 8983 8396 E-mail: done24@donepower.com.cn



Low Consumption Indoor Lighting Driver---L Series (3 years)

Led driver Model	Input	Output	Current	Power	PF	Efficiency	Certificate	Size	Price (USD)	Price(RMB)
DL-3W300-L	AC85-265V	DC2-12V	300mA±5%	1-3*1W	≥0.5	≥0.72	CE	53*29*20mm	\$0.58	¥ 3.5
DL-3W600-L	AC85-265V	DC2-5V	600mA±5%	1*3W	≥0.5	≥0.6	CE	53*29*20mm	\$0.58	¥ 3.5
DL-5W300-L	AC85-265V	DC3-18V	300mA±5%	1-5*1W	≥0.5	≥0.75	CE	53*29*20mm	\$0.79	¥ 4.8
DL-7W300-L	AC85-265V	DC12-25V	300mA±5%	4-7*1W	≥0.5	≥0.78	CE	65*29*20mm	\$0.96	¥ 5.8
DL-7W600-L	AC85-265V	DC6-12V	600mA±5%	2-3*3W	≥0.5	≥0.75	CE	65*29*20mm	\$0.96	¥ 5.8
DL-12W300-L	AC85-265V	DC20-43V	300mA±5%	6-12S 1P	≥0.5	≥0.84	CE	75*32*20mm	\$1.12	¥ 6.8
DL-12W600-L	AC85-265V	DC12-22V	600mA±5%	4-6*3W	≥0.5	≥0.84	CE	75*32*20mm	\$1.12	¥ 6.8
DL-20W300-L	AC85-265V	DC36-72V	300mA±5%	12-20*1W	≥0.5	≥0.86	CE	90*35*22mm	\$1.56	¥ 9.5
DL-20W600-L	AC85-265V	DC20-36V	600mA±5%	6-10S 2P	≥0.5	≥0.86	CE	90*35*22mm	\$1.56	¥ 9.5
DL-28W300-L	AC85-265V	DC54-100V	300mA±5%	18-28*1W	≥0.5	≥0.88	CE	105*38*24mm	\$2.14	¥ 13
DL-28W600-L	AC85-265V	DC30-50V	600mA±5%	10-14*3W	≥0.5	≥0.88	CE	105*38*24mm	\$2.14	¥ 13
DL-30W900-L	AC85-265V	DC20-36V	900mA±5%	6-10S 3P	≥0.5	≥0.88	CE	105*38*24mm	\$2.14	¥ 13
DL-36W300-L	AC85-265V	DC90-130V	300mA±5%	30-36*1W	≥0.5	≥0.90	CE	130*44*28mm	\$3.12	¥ 19
DL-42W900-L	AC85-265V	DC30-50V	900mA±5%	10-14S 3P	≥0.5	≥0.90	CE	130*44*28mm	\$3.12	¥ 19
DL-40W1A2-L	AC85-265V	DC20-43V	1200mA±5%	6-12S 4P	≥0.5	≥0.90	CE	130*44*28mm	\$3.12	¥ 19
DL-50W1A5-L	AC85-265V	DC20-36V	1500mA±5%	6-10S 5P	≥0.5	≥0.90	CE	130*44*28mm	\$3.12	¥ 19



ZHONGSHAN DONE LIGHTING TECHNOLOGY CO.,LTD.

Address: No.3 of Kanglong 3rd Road Henglan Town, Zhongshan City 528478 Guangdong, China

Tel: +86 760 8983 8379 Fax: +86 760 8983 8396 E-mail: done24@donepower.com.cn



No Plastic Body Low Consumption Indoor Lighting Driver---N Series (3 years)

Led driver Model	Input	Output	Current	Power	PF	Efficiency	Certificate	Size	Price (USD)	Price(RMB)
DL-3W300-N	AC85-265V	DC2-12V	300mA±5%	1-3*1W	≥0.5	≥0.72	CE	32*20*14mm	\$0.5	¥3
DL-3W600-N	AC85-265V	DC2-5V	600mA±5%	1*3W	≥0.5	≥0.6	CE	32*20*14mm	\$0.5	¥3
DL-5W300-N	AC85-265V	DC3-18V	300mA±5%	1-5*1W	≥0.5	≥0.75	CE	43*20*14mm	\$0.66	¥4
DL-7W300-N	AC85-265V	DC12-25V	300mA±5%	4-7*1W	≥0.5	≥0.78	CE	44*24*16mm	\$0.82	¥5
DL-7W600-N	AC85-265V	DC5-12V	600mA±5%	2-3*3W	≥0.5	≥0.75	CE	44*24*16mm	\$0.82	¥5
DL-12W300-N	AC85-265V	DC20-43V	300mA±5%	6-12*1W	≥0.5	≥0.84	CE	52*22*16mm	\$0.96	¥5.8
DL-12W600-N	AC85-265V	DC12-22V	600mA±5%	4-6*3W	≥0.5	≥0.84	CE	52*22*16mm	\$0.96	¥5.8
DL-20W300-N	AC85-265V	DC36-72V	300mA±5%	12-20*1W	≥0.5	≥0.86	CE	64*25*16mm	\$1.4	¥8.5
DL-20W600-N	AC85-265V	DC20-36V	600mA±5%	6-10*3W	≥0.5	≥0.86	CE	64*25*16mm	\$1.4	¥8.5
DL-28W300-N	AC85-265V	DC54-100V	300mA±5%	18-28*1W	≥0.5	≥0.88	CE	85*26*16mm	\$1.89	¥11.5
DL-28W600-N	AC85-265V	DC30-50V	600mA±5%	10-14*3W	≥0.5	≥0.88	CE	85*26*16mm	\$1.89	¥11.5

No Plastic Body High PF Indoor lighting Driver---NP Seires (3 years)

DL-7W300-NP	AC85-265V	DC12-25V	300mA±5%	4-7*1W	≥0.95	≥0.78	CE	44*24*16mm	\$0.82	¥5
DL-7W600-NP	AC85-265V	DC5-12V	600mA±5%	2-3*3W	≥0.95	≥0.75	CE	44*24*16mm	\$0.82	¥5
DL-12W300-NP	AC85-265V	DC20-43V	300mA±5%	6-12*1W	≥0.95	≥0.84	CE	52*22*16mm	\$0.96	¥5.8
DL-12W600-NP	AC85-265V	DC12-22V	600mA±5%	4-6*3W	≥0.95	≥0.84	CE	52*22*16mm	\$0.96	¥5.8
DL-20W300-NP	AC85-265V	DC36-72V	300mA±5%	12-20*1W	≥0.95	≥0.86	CE	64*25*16mm	\$1.4	¥8.5
DL-20W600-NP	AC85-265V	DC20-36V	600mA±5%	6-10*3W	≥0.95	≥0.86	CE	64*25*16mm	\$1.4	¥8.5

DL-28W300-NP	AC85-265V	DC54-100V	300mA±5%	18-28*1W	≥0.95	≥0.88	CE	85*26*16mm	\$1.89	¥ 11.5
DL-28W600-NP	AC85-265V	DC30-50V	600mA±5%	10-14*3W	≥0.95	≥0.88	CE	85*26*16mm	\$1.89	¥ 11.5
DL-36W300-NP	AC85-265V	DC90-130V	300mA±5%	30-36*1W	≥0.95	≥0.90	CE	100*36*22mm	\$3.45	¥ 21
DL-48W600-NP	AC85-265V	DC45-90V	600mA±5%	15-24*3W	≥0.95	≥0.90	CE	100*36*22mm	\$3.45	¥ 21
DL-42W900-NP	AC85-265V	DC30-50V	900mA±5%	10-14S 3P	≥0.95	≥0.90	CE	100*36*22mm	\$3.45	¥ 21
DL-40W1A2-NP	AC85-265V	DC20-43V	1200mA±5%	6-12S 4P	≥0.95	≥0.90	CE	100*36*22mm	\$3.45	¥ 21
DL-50W1A5-NP	AC85-265V	DC20-36V	1500mA±5%	6-10S 5P	≥0.95	≥0.90	CE	100*36*22mm	\$3.45	¥ 21
DL-36W300-NP	AC85-265V	DC90-130V	300mA±5%	25-36*1W	≥0.95	≥0.90	CE	φ 72mm	\$3.28	¥ 20
DL-36W900-NP	AC85-265V	DC20-43V	900mA±5%	6-12S 3P	≥0.95	≥0.90	CE	φ 72mm	\$3.28	¥ 20



ZHONGSHAN DONE LIGHTING TECHNOLOGY CO.,LTD.

Add: No.3 of Kanglong 3rd Road Henglan Town, Zhongshan City 528478 Guangdong, China

Tel: +86 760 8983 8379 Fax: +86 760 8983 8396 E-mail: done24@donepower.com.cn



High PF Outdoor Lighting Driver with TUV SAA CB CCC---MEP Series (5 years)

Washer lamp driver

Led driver Model	Input	Output	Current	Power	PF	Efficiency	Certificate	Size	Price (USD)	Price(RMB)
ADS-20W300-WEP	AC85-265V	DC36-72V	300mA±5%	12-20*1W	≥0.95	≥0.86	SAA TUV CCC CB	125*30*20mm	\$3.94	¥ 24
ADS-20W600-WEP	AC85-265V	DC20-36V	600mA±5%	6-10*3W	≥0.95	≥0.86	SAA TUV CCC CB	125*30*20mm	\$3.94	¥ 24
ADS-28W300-WEP	AC85-265V	DC54-100V	300mA±5%	18-28*1W	≥0.95	≥0.88	SAA TUV CCC CB	145*30*20mm	\$4.6	¥ 28
ADS-28W600-WEP	AC85-265V	DC30-50V	600mA±5%	10-14*3W	≥0.95	≥0.88	SAA TUV CCC CB	145*30*20mm	\$4.6	¥ 28
ADS-30W900-WEP	AC85-265V	DC20-36V	900mA±5%	18-28*1W	≥0.95	≥0.88	SAA TUV CCC CB	145*30*20mm	\$4.6	¥ 28

Integrated Led Driver for Spotlight

ADS-12W300-MEP	AC85-265V	DC20-43V	300mA±5%	6-12S 1P	≥0.95	≥0.84	SAA TUV CCC CB	76*30*20mm	\$2.46	¥ 15
ADS-20W600-MEP	AC85-265V	DC20-36V	600mA±5%	6-10S 2P	≥0.95	≥0.86	SAA TUV CCC CB	98*42*26mm	\$3.94	¥ 24
ADS-30W900-MEP	AC85-265V	DC20-36V	900mA±5%	6-10S 3P	≥0.95	≥0.90	SAA TUV CCC CB	138*42*26mm	\$4.6	¥ 28
ADS-36W300-MEP	AC85-265V	DC90-130V	300mA±5%	30-36*1W	≥0.95	≥0.90	SAA TUV CCC CB	146*46*34mm	\$7.22	¥ 44
ADS-40W1A2-MEP	AC85-265V	DC20-43V	1200mA±5%	6-12S 4P	≥0.95	≥0.90	SAA TUV CCC CB	146*46*34mm	\$7.22	¥ 44
ADS-50W1A5-MEP	AC85-265V	DC20-36V	1500mA±5%	6-10S 5P	≥0.95	≥0.90	SAA TUV CCC CB	146*46*34mm	\$7.22	¥ 44
ADS-60W1A8-MEP	AC85-265V	DC20-43V	1800mA±5%	6-12S 6P	≥0.95	≥0.90	SAA TUV CCC CB	160*55*34mm	\$12.79	¥ 78
ADS-70W2A1-MEP	AC85-265V	DC20-36V	2100mA±5%	6-10S 7P	≥0.95	≥0.90	SAA TUV CCC CB	160*55*34mm	\$12.79	¥ 78
ADS-80W2A4-MEP	AC85-265V	DC20-36V	2400mA±5%	6-10S 8P	≥0.95	≥0.90	SAA TUV CCC CB	160*55*34mm	\$14.43	¥ 88
ADS-90W2A7-MEP	AC85-265V	DC20-36V	2700mA±5%	6-10S 9P	≥0.95	≥0.90	SAA TUV CCC CB	182*69*33mm	\$21.32	¥ 130
ADS-100W3A-MEP	AC85-265V	DC20-36V	3000mA±5%	6-10S 10P	≥0.95	≥0.90	SAA TUV CCC CB	182*69*33mm	\$21.32	¥ 130
ADS-120W3A6-MEP	AC85-265V	DC20-36V	3600mA±5%	6-10S 12P	≥0.95	≥0.90	SAA TUV CCC CB	182*69*33mm	\$21.32	¥ 130
ADS-150W4A5-MEP	AC85-265V	DC20-36V	4500mA±5%	6-10S 15P	≥0.95	≥0.92	SAA TUV CCC CB	210*73*40mm	\$27.05	¥ 165
ADS-180W5A4-MEP	AC85-265V	DC20-36V	5400mA±5%	6-10S 18P	≥0.95	≥0.92	SAA TUV CCC CB	210*73*40mm	\$28.69	¥ 175
ADS-200W6A0-MEP	AC85-265V	DC20-36V	6000mA±5%	6-10S 20P	≥0.95	≥0.92	SAA TUV CCC CB	210*73*40mm	\$30.33	¥ 185

Integrated Led Driver for Street Light

ADS-42W900-MEP	AC85-265V	DC30-50V	900mA±5%	10-14S 3P	≥0.95	≥0.90	TUV CCC CB	146*46*34mm	\$7.22	¥ 44
ADS-56W1A2-MEP	AC85-265V	DC30-50V	1200mA±5%	10-14S 4P	≥0.95	≥0.90	TUV CCC CB	160*55*34mm	\$12.79	¥ 78
ADS-70W1A5-MEP	AC85-265V	DC30-50V	1500mA±5%	10-14S 5P	≥0.95	≥0.90	TUV CCC CB	160*55*34mm	\$12.79	¥ 78
ADS-84W1A8-MEP	AC85-265V	DC30-50V	1800mA±5%	10-14S 6P	≥0.95	≥0.90	TUV CCC CB	160*55*34mm	\$14.43	¥ 88
ADS-98W2A1-MEP	AC85-265V	DC30-50V	2100mA±5%	10-14S 7P	≥0.95	≥0.90	TUV CCC CB	182*69*33mm	\$21.32	¥ 130
ADS-112W2A4-MEP	AC85-265V	DC30-50V	2400mA±5%	10-14S 8P	≥0.95	≥0.90	TUV CCC CB	182*69*33mm	\$21.32	¥ 130
ADS-126W2A7-MEP	AC85-265V	DC30-50V	2700mA±5%	10-14S 9P	≥0.95	≥0.90	TUV CCC CB	182*69*33mm	\$21.32	¥ 130
ADS-140W3A0-MEP	AC85-265V	DC30-50V	3000mA±5%	10-14S 10P	≥0.95	≥0.92	TUV CCC CB	210*73*40mm	\$27.05	¥ 165
ADS-154W3A3-MEP	AC85-265V	DC30-50V	3300mA±5%	10-14S 11P	≥0.95	≥0.92	TUV CCC CB	210*73*40mm	\$27.05	¥ 165
ADS-168W3A6-MEP	AC85-265V	DC30-50V	3600mA±5%	10-14S 12P	≥0.95	≥0.92	TUV CCC CB	210*73*40mm	\$28.69	¥ 175
ADS-182W3A9-MEP	AC85-265V	DC30-50V	3900mA±5%	10-14S 13P	≥0.95	≥0.92	TUV CCC CB	210*73*40mm	\$28.69	¥ 175
ADS-196W4A2-MEP	AC85-265V	DC30-50V	4200mA±5%	10-14S 14P	≥0.95	≥0.92	TUV CCC CB	210*73*40mm	\$30.33	¥ 185
ADS-210W4A5-MEP	AC85-265V	DC30-50V	4500mA±5%	10-14S 15P	≥0.95	≥0.92	TUV CCC CB	210*73*40mm	\$30.33	¥ 185



ZHONGSHAN DONE LIGHTING TECHNOLOGY CO.,LTD.

Add: No.3 of Kanglong 3rd Road Henglan Town, Zhongshan City 528478 Guangdong, China

Tel: +86 760 8983 8379 Fax: +86 760 8983 8396 E-mail: done24@donepower.com.cn



High PF and No Flash Outdoor Lighting Driver with TUV SAA CB CCC---MEF Series (5 years)

Washer lamp driver

Led driver Model	Input	Output	Current	Power	PF	Efficiency	Certificate	Size	Price (USD)	Price(RMB)
ADS-20W300-WEF	AC85-265V	DC36-72V	300mA±5%	12-20*1W	≥0.95	≥0.86	SAA TUV CCC CB	125*30*20mm	\$4.6	¥ 28
ADS-20W600-WEF	AC85-265V	DC20-36V	600mA±5%	6-10*3W	≥0.95	≥0.86	SAA TUV CCC CB	125*30*20mm	\$4.6	¥ 28
ADS-28W300-WEF	AC85-265V	DC54-100V	300mA±5%	18-28*1W	≥0.95	≥0.88	SAA TUV CCC CB	145*30*20mm	\$5.25	¥ 32
ADS-28W600-WEF	AC85-265V	DC30-50V	600mA±5%	10-14*3W	≥0.95	≥0.88	SAA TUV CCC CB	145*30*20mm	\$5.25	¥ 32
ADS-30W900-WEF	AC85-265V	DC20-36V	900mA±5%	18-28*1W	≥0.95	≥0.88	SAA TUV CCC CB	145*30*20mm	\$5.25	¥ 32

Integrated Led Driver for Spotlight

ADS-12W300-MEF	AC85-265V	DC20-43V	300mA±5%	6-10S 1P	≥0.95	≥0.84	SAA TUV CCC CB	76*30*20mm	\$2.96	¥ 18
ADS-20W600-MEF	AC85-265V	DC20-36V	600mA±5%	6-10S 2P	≥0.95	≥0.86	SAA TUV CCC CB	98*42*26mm	\$4.6	¥ 28
ADS-30W900-MEF	AC85-265V	DC20-36V	900mA±5%	6-10S 3P	≥0.95	≥0.90	SAA TUV CCC CB	138*42*26mm	\$5.25	¥ 32
ADS-40W1A2-MEF	AC85-265V	DC20-43V	1200mA±5%	6-12S 4P	≥0.95	≥0.90	SAA TUV CCC CB	146*46*34mm	\$7.87	¥ 48
ADS-50W1A5-MEF	AC85-265V	DC20-36V	1500mA±5%	6-10S 5P	≥0.95	≥0.90	SAA TUV CCC CB	146*46*34mm	\$7.87	¥ 48
ADS-60W1A8-MEF	AC85-265V	DC20-43V	1800mA±5%	6-12S 6P	≥0.95	≥0.90	SAA TUV CCC CB	160*55*34mm	\$13.45	¥ 82
ADS-70W2A1-MEF	AC85-265V	DC20-36V	2100mA±5%	6-10S 7P	≥0.95	≥0.90	SAA TUV CCC CB	160*55*34mm	\$13.45	¥ 82
ADS-80W2A4-MEF	AC85-265V	DC20-36V	2400mA±5%	6-10S 8P	≥0.95	≥0.90	SAA TUV CCC CB	160*55*34mm	\$15.09	¥ 92

Integrated Led Driver for Street Light

ADS-42W900-MEF	AC85-265V	DC30-50V	900mA±5%	10-14S 3P	≥0.95	≥0.90	SAA TUV CCC CB	146*46*34mm	\$7.87	¥ 48
ADS-56W1A2-MEF	AC85-265V	DC30-50V	1200mA±5%	10-14S 4P	≥0.95	≥0.90	SAA TUV CCC CB	160*55*34mm	\$13.45	¥ 82
ADS-70W1A5-MEF	AC85-265V	DC30-50V	1500mA±5%	10-14S 5P	≥0.95	≥0.90	SAA TUV CCC CB	160*55*34mm	\$13.45	¥ 82
ADS-84W1A8-MEF	AC85-265V	DC30-50V	1800mA±5%	10-14S 6P	≥0.95	≥0.90	SAA TUV CCC CB	160*55*34mm	\$15.09	¥ 92

High PF and No Flash Outdoor Lighting Driver---MF Series (3 years)



Led driver Model	Input	Output	Current	Power	PF	Efficiency	Certificate	Size	Price (USD)	Price(RMB)
DL-12W300-MF	AC85-265V	DC20-43V	300mA±5%	6-12*1W	≥0.95	≥0.84	CE	72*30*20mm	\$2.14	¥ 13
DL-12W600-MF	AC85-265V	DC12-22V	600mA±5%	4-6*3W	≥0.50	≥0.84	CE	74*30*20mm	\$2.14	¥ 13
DL-20W300-MF	AC85-265V	DC36-72V	300mA±5%	12-20*1W	≥0.95	≥0.86	CE	96*30*20mm	\$2.96	¥ 18
DL-20W600-MF	AC85-265V	DC20-36V	600mA±5%	6-10S 2P	≥0.95	≥0.86	CE	96*30*20mm	\$2.96	¥ 18
DL-28W300-MF	AC85-265V	DC54-100V	300mA±5%	18-28*1W	≥0.95	≥0.88	CE	106*30*20mm	\$3.45	¥ 21
DL-28W600-MF	AC85-265V	DC30-50V	600mA±5%	10-14*3W	≥0.95	≥0.88	CE	106*30*20mm	\$3.45	¥ 21
DL-30W900-MF	AC85-265V	DC20-36V	900mA±5%	6-10S 3P	≥0.95	≥0.88	CE	106*30*20mm	\$3.45	¥ 21
DL-36W300-MFA	AC85-265V	DC90-130V	300mA±5%	30-36*1W	≥0.95	≥0.90	CE	140*37*28mm	\$5.25	¥ 32
DL-36W300-MFB	AC180-240V	DC90-130V	300mA±5%	30-36*1W	≥0.95	≥0.90	CE	150*30*20mm	\$5.25	¥ 32
DL-40W1A2-MF	AC85-265V	DC20-43V	1200mA±5%	6-12S 4P	≥0.95	≥0.90	CE	140*37*28mm	\$5.25	¥ 32
DL-48W600-MF	AC85-265V	DC45-90V	600mA±5%	15-24*3W	≥0.95	≥0.90	CE	140*37*28mm	\$5.25	¥ 32
DL-50W1A5-MF	AC85-265V	DC20-36V	1500mA±5%	6-10S 5P	≥0.95	≥0.90	CE	140*37*28mm	\$5.25	¥ 32
DL-60W1A8-MF	AC85-265V	DC20-43V	1800mA±5%	6-12S 6P	≥0.95	≥0.90	CE	152*55*38mm	\$8.86	¥ 54
DL-70W2A1-MF	AC85-265V	DC20-36V	2100mA±5%	6-10S 7P	≥0.95	≥0.90	CE	152*55*38mm	\$8.86	¥ 54
DL-80W2A4-MF	AC85-265V	DC20-36V	2400mA±5%	6-10S 8P	≥0.95	≥0.90	CE	152*55*38mm	\$10.5	¥ 64
DL-42W900-MF	AC85-265V	DC30-50V	900mA±5%	10-14S 3P	≥0.95	≥0.90	CE	125*37*28mm	\$6.23	¥ 38
DL-56W1A2-MF	AC85-265V	DC30-50V	1200mA±5%	10-14S 4P	≥0.95	≥0.90	CE	152*55*38mm	\$8.86	¥ 54
DL-70W1A5-MF	AC85-265V	DC30-50V	1500mA±5%	10-14S 5P	≥0.95	≥0.90	CE	152*55*38mm	\$8.86	¥ 54
DL-84W1A8-MF	AC85-265V	DC30-50V	1800mA±5%	10-14S 6P	≥0.95	≥0.90	CE	152*55*38mm	\$10.5	¥ 64



ZHONGSHAN DONE LIGHTING TECHNOLOGY CO.,LTD.

Add: No.3 of Kanglong 3rd Road Henglan Town, Zhongshan City 528478 Guangdong, China

Tel: +86 760 8983 8379 Fax: +86 760 8983 8396 E-mail: done24@donepower.com.cn



Waterproof Plastic Body Outdoor Lighting Driver with TUV SAA CB CCC---ME Series (5 years)

Led driver Model	Input	Output	Current	Power	PF	Efficiency	Certificate	Size	Price (USD)	Price(RMB)
ADS-12W300-ME	AC85-265V	DC20-43V	300mA±5%	6-10S 1P	≥0.5	≥0.84	SAA TUV CCC CB	76*30*20mm	\$2.22	¥13.5
ADS-20W600-ME	AC85-265V	DC20-36V	600mA±5%	6-10S 2P	≥0.5	≥0.86	SAA TUV CCC CB	98*42*26mm	\$3.28	¥20
ADS-30W900-ME	AC85-265V	DC20-36V	900mA±5%	6-10S 3P	≥0.5	≥0.90	SAA TUV CCC CB	138*42*26mm	\$3.78	¥23
ADS-40W1A2-ME	AC85-265V	DC20-43V	1200mA±5%	6-12S 4P	≥0.5	≥0.90	SAA TUV CCC CB	146*46*34mm	\$6.23	¥38
ADS-50W1A5-ME	AC85-265V	DC20-36V	1500mA±5%	6-10S 5P	≥0.5	≥0.90	SAA TUV CCC CB	146*46*34mm	\$6.23	¥38
ADS-60W1A8-ME	AC85-265V	DC20-43V	1800mA±5%	6-12S 6P	≥0.5	≥0.90	SAA TUV CCC CB	160*55*34mm	\$11.15	¥68
ADS-70W2A1-ME	AC85-265V	DC20-36V	2100mA±5%	6-10S 7P	≥0.5	≥0.90	SAA TUV CCC CB	160*55*34mm	\$11.15	¥68
ADS-80W2A4-ME	AC85-265V	DC20-36V	2400mA±5%	6-10S 8P	≥0.5	≥0.90	SAA TUV CCC CB	160*55*34mm	\$12.79	¥78



ZHONGSHAN DONE LIGHTING TECHNOLOGY CO.,LTD.

Add: No.3 of Kanglong 3rd Road Henglan Town, Zhongshan City 528478 Guangdong, China

Tel: +86 760 8983 8379 Fax: +86 760 8983 8396 E-mail: done24@donepower.com.cn



High PF Outdoor Lighting Driver--MP Series (3 years)

Integrated Led Driver for Spotlight

Led driver Model	Input	Output	Current	Power	PF	Efficiency	Certificate	Size	Price (USD)	Price(RMB)
DL-7W300-MP	AC85-265V	DC12-25V	300mA±5%	4-7*1W	≥0.95	≥0.78	CE	63*30*20mm	\$1.23	¥7.5
DL-7W600-MP	AC85-265V	DC6-12V	600mA±5%	2-3*3W	≥0.95	≥0.75	CE	63*30*20mm	\$1.23	¥7.5
DL-12W300-MP	AC85-265V	DC20-43V	300mA±5%	6-10S 1P	≥0.95	≥0.84	CE	74*30*20mm	\$1.56	¥9.5
DL-12W600-MP	AC85-265V	DC12-22V	600mA±5%	4-6*3W	≥0.95	≥0.84	CE	74*30*20mm	\$1.56	¥9.5
DL-20W300-MP	AC85-265V	DC36-72V	300mA±5%	12-20*1W	≥0.95	≥0.86	CE	96*30*20mm	\$2.22	¥13.5
DL-20W600-MP	AC85-265V	DC20-36V	600mA±5%	6-10S 2P	≥0.95	≥0.86	CE	96*30*20mm	\$2.22	¥13.5
DL-28W300-MP	AC85-265V	DC54-100V	300mA±5%	18-28*1W	≥0.95	≥0.88	CE	106*30*20mm	\$2.79	¥17
DL-28W600-MP	AC85-265V	DC30-50V	600mA±5%	10-14*3W	≥0.95	≥0.88	CE	106*30*20mm	\$2.79	¥17
DL-30W900-MP	AC85-265V	DC20-36V	900mA±5%	6-10S 3P	≥0.95	≥0.88	CE	106*30*20mm	\$2.79	¥17
DL-36W300-MPA	AC85-265V	DC90-130V	300mA±5%	30-36*1W	≥0.95	≥0.90	CE	140*37*28mm	\$4.27	¥26
DL-36W300-MPB	AC180-240V	DC90-130V	300mA±5%	30-36*1W	≥0.95	≥0.90	CE	150*30*20mm	\$4.27	¥26
DL-40W1A2-MP	AC85-265V	DC20-43V	1200mA±5%	6-12S 4P	≥0.95	≥0.90	CE	140*37*28mm	\$4.27	¥26
DL-48W600-MP	AC85-265V	DC45-90V	600mA±5%	15-24*3W	≥0.95	≥0.90	CE	140*37*28mm	\$4.27	¥26
DL-50W1A5-MP	AC85-265V	DC20-36V	1500mA±5%	6-10S 5P	≥0.95	≥0.90	CE	140*37*28mm	\$4.27	¥26
DL-60W1A8-MP	AC85-265V	DC20-43V	1800mA±5%	6-12S 6P	≥0.95	≥0.90	CE	152*55*38mm	\$8.04	¥49
DL-70W2A1-MP	AC85-265V	DC20-36V	2100mA±5%	6-10S 7P	≥0.95	≥0.90	CE	152*55*38mm	\$8.04	¥49
DL-80W2A4-MP	AC85-265V	DC20-36V	2400mA±5%	6-10S 8P	≥0.95	≥0.90	CE	152*55*38mm	\$9.68	¥59
DL-90W2A7-MP	AC85-265V	DC20-36V	2700mA±5%	6-10S 9P	≥0.95	≥0.90	CE	175*73*43mm	\$14.6	¥89
DL-100W3A0-MP	AC85-265V	DC20-36V	3000mA±5%	6-10S 10P	≥0.95	≥0.90	CE	175*73*43mm	\$14.6	¥89
DL-120W3A6-MP	AC85-265V	DC20-36V	3600mA±5%	6-10S 12P	≥0.95	≥0.90	CE	175*73*43mm	\$14.6	¥89

Integrated Led Driver for Street Light

DL-42W900-MP	AC85-265V	DC30-50V	900mA±5%	10-14S 3P	≥0.95	≥0.90	CE	140*37*28mm	\$5.25	¥ 32
DL-56W1A2-MP	AC85-265V	DC30-50V	1200mA±5%	10-14S 4P	≥0.95	≥0.90	CE	152*55*38mm	\$8.04	¥ 49
DL-70W1A5-MP	AC85-265V	DC30-50V	1500mA±5%	10-14S 5P	≥0.95	≥0.90	CE	152*55*38mm	\$8.04	¥ 49
DL-84W1A8-MP	AC85-265V	DC30-50V	1800mA±5%	10-14S 6P	≥0.95	≥0.90	CE	152*55*38mm	\$9.68	¥ 59
DL-98W2A1-MP	AC85-265V	DC30-50V	2100mA±5%	10-14S 7P	≥0.95	≥0.90	CE	175*73*43mm	\$14.6	¥ 89
DL-112W2A4-MP	AC85-265V	DC30-50V	2400mA±5%	10-14S 8P	≥0.95	≥0.90	CE	175*73*43mm	\$14.6	¥ 89
DL-126W2A7-MP	AC85-265V	DC30-50V	2700mA±5%	10-14S 8P	≥0.95	≥0.90	CE	175*73*43mm	\$14.6	¥ 89



ZHONGSHAN DONE LIGHTING TECHNOLOGY CO.,LTD.

Add: No.3 of Kanglong 3rd Road Henglan Town, Zhongshan City 528478 Guangdong, China

Tel: +86 760 8983 8379 Fax: +86 760 8983 8396 E-mail: done24@donepower.com.cn



Low Consumption Outdoor Lighting Driver---M Series (3 years)

Led driver Model	Input	Output	Current	Power	PF	Efficiency	Certificate	Size	Price (USD)	Price(RMB)
DL-3W600-M	AC85-265V	DC2-5V	600mA±5%	1*3W	≥0.50	≥0.6	CE	47*27*18mm	\$0.69	¥4.2
DL-3W300-M	AC85-265V	DC2-12V	300mA±5%	1-3*1W	≥0.50	≥0.72	CE	47*27*18mm	\$0.69	¥4.2
DL-5W300-M	AC85-265V	DC3-18V	300mA±5%	1-5*1W	≥0.50	≥0.75	CE	55*30*20mm	\$0.91	¥5.5
DL-7W300-M	AC85-265V	DC12-25V	300mA±5%	4-7*1W	≥0.50	≥0.78	CE	63*30*20mm	\$1.07	¥6.5
DL-7W600-M	AC85-265V	DC6-12V	600mA±5%	2-3*3W	≥0.50	≥0.75	CE	63*30*20mm	\$1.07	¥6.5
DL-12W300-M	AC85-265V	DC20-43V	300mA±5%	6-12S 1P	≥0.50	≥0.84	CE	74*30*20mm	\$1.32	¥8
DL-12W600-M	AC85-265V	DC12-22V	600mA±5%	4-6*3W	≥0.50	≥0.84	CE	74*30*20mm	\$1.32	¥8
DL-20W300-M	AC85-265V	DC36-72V	300mA±5%	12-20*1W	≥0.50	≥0.86	CE	89*30*20mm	\$1.81	¥11
DL-20W600-M	AC85-265V	DC20-36V	600mA±5%	6-10S 2P	≥0.50	≥0.86	CE	89*30*20mm	\$1.81	¥11
DL-28W300-M	AC85-265V	DC54-100V	300mA±5%	18-28*1W	≥0.50	≥0.88	CE	106*30*20mm	\$2.46	¥15
DL-28W600-M	AC85-265V	DC30-50V	600mA±5%	10-14*3W	≥0.50	≥0.88	CE	106*30*20mm	\$2.46	¥15
DL-30W900-M	AC85-265V	DC20-36V	900mA±5%	6-10S 3P	≥0.50	≥0.88	CE	106*30*20mm	\$2.46	¥15
DL-40W1A2-M	AC85-265V	DC20-43V	1200mA±5%	6-12S 4P	≥0.50	≥0.90	CE	140*37*27mm	\$3.61	¥22
DL-50W1A5-M	AC85-265V	DC20-36V	1500mA±5%	6-10S 5P	≥0.50	≥0.90	CE	140*37*27mm	\$3.61	¥22
DL-60W1A8-M	AC85-265V	DC20-43V	1800mA±5%	6-12S 6P	≥0.50	≥0.90	CE	158*55*32mm	\$7.55	¥46
DL-70W2A1-M	AC85-265V	DC20-36V	2100mA±5%	6-10S 7P	≥0.50	≥0.90	CE	158*55*32mm	\$7.55	¥46
DL-80W2A4-M	AC85-265V	DC20-36V	2400mA±5%	6-10S 8P	≥0.50	≥0.90	CE	158*55*32mm	\$7.55	¥46
DL-90W2A7-M	AC85-265V	DC20-36V	2700mA±5%	6-10S 9P	≥0.50	≥0.90	CE	167*72*35mm	\$13.12	¥80
DL-100W3A-M	AC85-265V	DC20-36V	3000mA±5%	6-10S 10P	≥0.50	≥0.90	CE	167*72*35mm	\$13.12	¥80
DL-120W3A6-M	AC85-265V	DC20-36V	3600mA±5%	6-10S 12P	≥0.50	≥0.90	CE	167*72*35mm	\$13.12	¥80



ZHONGSHAN DONE LIGHTING TECHNOLOGY CO.,LTD.

Address: No.3 of Kanglong 3rd Road Henglan Town, Zhongshan City 528478 Guangdong, China

Tel: +86 760 8983 8379 Fax: +86 760 8983 8396 E-mail: done24@donepower.com.cn



AC/DC 24V Input Waterproof Led Driver---ML Series (3 years)

Led driver Model	Input	Output	Current	Power	PF	Efficiency	Certificate	Size	Price (USD)	Price (RMB)
DL-7W300-ML	AC/DC24V	DC2-24V	300mA±5%	1-7*1W	/	≥0.93	CE	47*26*22mm	\$0.74	¥4.5
DL-7W300-NL	AC/DC24V	DC2-24V	300mA±5%	1-7*1W	Bare board	≥0.93	CE	35*17*11mm	\$0.66	¥4
DL-12W300-ML	AC/DC24V	DC28-43V	270mA±5%	9-12*1W	/	≥0.87	CE	69*27*18mm	\$2.05	¥12.5
DL-18W300-ML	AC/DC24V	DC36-64V	270mA±5%	12-18*1W	/	≥0.89	CE	74*30*20mm	\$2.3	¥14
DL-24W300-ML	AC/DC24V	DC54-86V	270mA±5%	18-24*1W	/	≥0.90	CE	106*30*20mm	\$2.79	¥17
DL-18W300-RGBL	AC24V	DC3-21V	300mA*3±5%	3-18*1W RGB	/	≥0.91	CE	74*30*20mm	\$2.14	¥13
DL-18W300-RGBNL	AC24V	DC3-21V	300mA*3±5%	3-18*1W RGB	Bare board	≥0.91	CE	55*26*13mm	\$1.97	¥12



ZHONGSHAN DONE LIGHTING TECHNOLOGY CO.,LTD.

Add: No.3 of Kanglong 3rd Road Henglan Town, Zhongshan City 528478 Guangdong, China

Tel: +86 760 8983 8379 Fax: +86 760 8983 8396 E-mail: done24@donepower.com.cn



Led Colorful Waterproof Driver---RGB Series (3 years)

Led driver Model	Input	Output	Current	Power	PF	Efficiency	Certificate	Size	Price (USD)	Price(RMB)
DL-3W300-RGB	AC85-265V	DC3-4V	300mA*3±5%	3*1W RGB	≥0.5	≥0.7	CE	74*30*20mm	\$1.97	¥ 12
DL-6W300-RGB	AC85-265V	DC6-7.5V	300mA*3±5%	6*1W RGB	≥0.5	≥0.7	CE	74*30*20mm	\$1.97	¥ 12
DL-10W300-RGB	AC85-265V	DC9-14V	300mA*3±5%	9-12*1W RGB	≥0.5	≥0.73	CE	74*30*20mm	\$1.97	¥ 12
DL-20W300-RGB	AC85-265V	DC15-24V	300mA*3±5%	15-21*1W RGB	≥0.5	≥0.80	CE	103*30*20mm	\$2.46	¥ 15
DL-30W300-RGB	AC85-265V	DC25-43V	300mA*3±5%	24-36*1W RGB	≥0.5	≥0.83	CE	120*30*20mm	\$3.28	¥ 20
DL-50W300-RGB	AC85-265V	DC40-64V	300mA*3±5%	39-54*1W RGB	≥0.5	≥0.85	CE	135*40*29mm	\$5.41	¥ 33
DL-50W600-RGB	AC85-265V	DC18-32V	600mA*3±5%	6-9S 6P RGB	≥0.5	≥0.85	CE	135*40*29mm	\$5.41	¥ 33
DL-70W600-RGB	AC85-265V	DC30-43V	600mA*3±5%	10-12S 6P RGB	≥0.5	≥0.87	CE	153*54*32mm	\$9.51	¥ 58
DL-70W300-RGB	AC85-265V	60-85V	300mA*3±5%	60-72*1W RGB	≥0.5	≥0.87	CE	153*54*32mm	\$9.51	¥ 58
DL-100W300-RGB	AC85-265V	80-130V	300mA*3±5%	75-108*1W RGB	≥0.5	≥0.89	CE	180*72*35mm	\$12.3	¥ 75
DL-100W900-RGB	AC85-265V	27-43V	900mA*3±5%	9-12S 9P RGB	≥0.5	≥0.89	CE	180*72*35mm	\$12.3	¥ 75
DL-18W300-RGBL	AC24V	DC3-21V	300mA*3±5%	3-18*1W RGB	/	≥0.91	CE	74*30*20mm	\$2.14	¥ 13
DL-18W300-RGBNL	AC24V	DC3-21V	300mA*3±5%	3-18*1W RGB	Bare Board	≥0.91	CE	55*26*13mm	\$1.97	¥ 12

Remote Control Led Colorful Waterproof Driver---YK Series (3 years)

Led driver Model	Input	Output	Current	Power	PF	Efficiency	Certificate	Size	Price (USD)	Price(RMB)
DL-10W300-YK	AC85-265V	DC9-14V	300mA*3±5%	9-12*1W RGB	≥0.5	≥0.73	CE	74*30*20mm	\$2.3	¥ 14
DL-20W300-YK	AC85-265V	DC15-24V	300mA*3±5%	15-21*1W RGB	≥0.5	≥0.80	CE	103*30*20mm	\$2.79	¥ 17
DL-30W300-YK	AC85-265V	DC25-43V	300mA*3±5%	24-36*1W RGB	≥0.5	≥0.83	CE	120*30*20mm	\$3.61	¥ 22
DL-50W300-YK	AC85-265V	DC39-64V	300mA*3±5%	39-54*1W RGB	≥0.5	≥0.85	CE	135*40*29mm	\$5.74	¥ 35
DL-50W600-YK	AC85-265V	DC20-32V	600mA*3±5%	6-9S 6P RGB	≥0.5	≥0.85	CE	135*40*29mm	\$5.74	¥ 35
DL-70W600-YK	AC85-265V	DC30-43V	600mA*3±5%	10-12S 6P RGB	≥0.5	≥0.87	CE	153*54*32mm	\$9.84	¥ 60
DL-70W300-YK	AC85-265V	60-85V	300mA*3±5%	60-72*1W RGB	≥0.5	≥0.87	CE	153*54*32mm	\$9.84	¥ 60
DL-100W300-YK	AC85-265V	80-130V	300mA*3±5%	75-108*1W RGB	≥0.5	≥0.89	CE	180*72*35mm	\$12.79	¥ 78
DL-100W900-YK	AC85-265V	27-43V	900mA*3±5%	9-12S 9P RGB	≥0.5	≥0.89	CE	180*72*35mm	\$12.79	¥ 78
Remote Control									\$0.58	¥ 3.5