


SPECIFICATION FOR APPROVAL

CUSTOMER:		DATE:			
PART NO: CB1005-121Y-N		DWG.NO: TE2066338			
CUSTOMER PART NO:		CUST.DWG.NO:			
(1) DIMENSIONS (UNIT: mm) 		A	1.00 ± 0.10 m/m		
		B	0.50 ± 0.10 m/m		
		C	0.50 ± 0.10 m/m		
		D	0.25 ± 0.15 m/m		
		E	m/m		
		F	m/m		
		G	m/m		
		H	m/m		
		I	m/m		
		J	m/m		
(2) ELECTRICAL REQUIREMENTS					
Z (Ω)	120 ± 25%			TEST FREQ	100MHz / 100mV
RDC (Ω)	0.3 (MAX)			TEST FREQ	
IDC (mA)	500 (MAX)			TEST FREQ	
TEST INSTRUMENTS HP4338A MILLIOHMMETER HP4291B RF IMPEDANCE/MATERIAL ANALYZER		APPROVED BY 吳載敏			
		CHECKED BY 張明德			
		DRAWN BY 黃慧診			

CORE MASTER ENTERPRISE CO., LTD.

TEL:886-2-8919-1288 FAX:886-2-8919-1298 WEB: www.coremaster.com.tw

TEST DATA

CUSTOMER :				DATE :					
PART NO: CB1005-121Y-N				DWG.NO: TE2066338					
CUSTOMER PART NO :				CUST.DWG.NO :					
ITEM	Z (Ω)	RDC (Ω)	IDC (mA)	DIMENSION (UNIT : mm)					
				A	B	C	D		
FREQ	100MHz / 100mV								
SPEC	120 ± 25%	0.3 (MAX)	500 (MAX)	1.00 ± 0.10	0.50 ± 0.10	0.50 ± 0.10	0.25 ± 0.15		
1	124.8	0.147	OK	1.02	0.51	0.51	0.27		
2	117.6	0.150	OK	1.00	0.50	0.54	0.25		
3	118.9	0.150	OK	1.03	0.53	0.51	0.26		
4	112.1	0.148	OK	1.01	0.51	0.52	0.25		
5	121.5	0.153	OK	1.02	0.52	0.51	0.27		
6	130.8	0.145	OK	1.01	0.50	0.53	0.25		
7	129.5	0.151	OK	1.03	0.51	0.51	0.27		
8	119.0	0.147	OK	1.02	0.50	0.52	0.25		
9	130.7	0.152	OK	1.00	0.51	0.51	0.26		
10	117.3	0.158	OK	1.01	0.52	0.52	0.25		
\bar{X}	122.22	0.15		1.015	0.511	0.518	0.258		
R	18.7	0.013		0.03	0.03	0.03	0.02		
						APPROVED BY			
						吳載敏			
						CHECKED BY			
						張明德			
						DRAWN BY			
						黃慧診			

CORE MASTER ENTERPRISE CO., LTD.

TEL:886-2-8919-1288 FAX:886-2-8919-1298 WEB: www.coremaster.com.tw

CB1005-121Y-N

