



SPECIFICATION FOR APPROVAL

CUSTOMER:		DATE:
PART NO: SMPI06050-330M		DWG.NO: WC1173819
CUSTOMER PART NO:		CUST.DWG.NO:
<p>(1) DIMENSION(UNIT: mm)</p> 		A 7.7 (MAX) m/m
		B 6.6 ± 0.3 m/m
		C 3.0 (REF) m/m
		D 5.0 (MAX) m/m
		E 1.6 (REF) m/m
		F m/m
		G m/m
		H m/m
		I m/m
		J m/m
		(2)ELECTRICAL REQUIREMENTS
L (uH)	33 ± 20%	
RDC (mΩ)	180 (MAX)	
IDC (A)	4 (MAX)	
TEST CONDITION	100KHz / 1V	
		APPROVED BY 吳載敏
		CHECKED BY 張明德
		DRAWN BY Vivian

CORE MASTER ENTERPRISE CO., LTD.

TEL:886-2-8919-1288 FAX:886-2-8919-1298 WEB:www.coremaster.com.tw

TEST DATA

CUSTOMER:				DATE:				
PART NO: SMPI06050-330M				DWG.NO: WC1173819				
CUSTOMER PART NO :				CUST.DWG.NO :				
TEST CONDITION: 100KHz / 1V								
ITEM	L (uH)	RDC (mΩ)	IDC (A)	A	B	C	D	E
SPEC	33 ± 20%	180 (MAX)	4 (MAX)	7.7 (MAX)	6.6 ± 0.3	3.0 (REF)	5.0 (MAX)	1.6 (REF)
1	33.3	159.8	OK	7.15	6.62	3.04	4.79	1.55
2	32.7	160.1	OK	7.16	6.64	3.02	4.84	1.56
3	31.6	158.6	OK	7.22	6.68	3.01	4.75	1.52
4	32.4	158.7	OK	7.15	6.63	3.05	4.85	1.57
5	33.1	159.4	OK	7.18	6.65	3.06	4.71	1.52
6	31.8	159.0	OK	7.15	6.64	3.03	4.68	1.54
7	32.6	158.8	OK	7.17	6.61	3.08	4.81	1.49
8	31.9	159.7	OK	7.21	6.68	3.04	4.76	1.52
9	32.5	159.0	OK	7.18	6.63	3.04	4.81	1.58
10	32.1	159.6	OK	7.21	6.65	3.05	4.75	1.63
X	32.4	159.3		7.18	6.64	3.04	4.78	1.55
R	1.7	1.5		0.07	0.07	0.07	0.17	0.14
TEST INSTRUMENTS MICROTEST6377 TH2511						APPROVED BY 吳載敏		
						CHECKED BY 張明德		
						DRAWN BY Vivian		

CORE MASTER ENTERPRISE CO., LTD.

TEL:886-2-8919-1288 FAX:886-2-8919-1298 WEB:www.coremaster.com.tw