



SPECIFICATION FOR APPROVAL

CUSTOMER:		DATE:
PART NO: SRI0605B-330M		DWG.NO: DL0618935
CUSTOMER PART NO:		CUST.DWG.NO:
<p>(1) DIMENSION(UNIT: mm)</p> 		A 6.6 ± 0.3 m/m
		B 6.2 ± 0.3 m/m
		C 5.0 (MAX) m/m
		D 4.0 (REF) m/m
		E 1.5 (REF) m/m
		G 2.5(REF) m/m
		H 1.8(REF) m/m
		L 7.0(REF) m/m
		(2)ELECTRICAL REQUIREMENTS
L (uH)	33 ± 20%	
RDC (Ω)	0.235 (MAX)	
IDC (A)	1.3 (MAX)	
TEST CONDITION	1KHZ / 1V	
(4)MATERIAL LIST		
NO/ITEM	MATERIAL	SUPPLIER
CORE	DR4×4.4 B2.4 F3.2 RI6.2×4.3×4.4 或同等級	昱欣
WIRE TYPE	2UEW φ 0.18m/m 或同等級	上海中馬
WINDING	31.5 TS (REF)	
BASE	電木 LS-B067 或同等級	碩誠
		APPROVED BY 吳載敏
		CHECKED BY 張明德
		DRAWN BY Vicky

CORE MASTER ENTERPRISE CO., LTD.

TEL:886-2-8919-1288 FAX:886-2-8919-1298 WEB:www.coremaster.com.tw

TEST DATA

CUSTOMER:				DATE:			
PART NO: SRI0605B-330M				DWG.NO: DL0618935			
CUSTOMER PART NO :				CUST.DWG.NO :			
TEST CONDITION: 1KHZ / 1V				DIMENSION (UNIT : mm)			
ITEM	L (uH)	RDC (Ω)	IDC (A)	A	B	C	
SPEC	33 ± 20%	0.235 (MAX)	1.3 (MAX)	6.6 ± 0.3	6.2 ± 0.3	5.0 (MAX)	
1	32.7	0.212	OK	6.57	6.29	4.86	
2	32.5	0.215	OK	6.57	6.23	4.85	
3	33.8	0.210	OK	6.55	6.25	4.87	
4	31.8	0.215	OK	6.57	6.27	4.86	
5	33.2	0.213	OK	6.54	6.27	4.87	
6	33.7	0.213	OK	6.59	6.24	4.88	
7	33.2	0.215	OK	6.57	6.23	4.84	
8	32.8	0.213	OK	6.64	6.21	4.83	
9	31.7	0.217	OK	6.60	6.27	4.84	
10	32.0	0.215	OK	6.60	6.24	4.85	
X	32.7	0.214		6.58	6.25	4.86	
R	2.1	0.007		0.10	0.08	0.05	
TEST INSTRUMENTS HIOKI3532-50 LCR METER VR-131 RDC METER VR116+VR7220 BA/S CURRENT				APPROVED BY 吳載敏			
				CHECKED BY 張明德			
				DRAWN BY Vicky			


CORE MASTER ENTERPRISE CO., LTD.

TEL:886-2-8919-1288 FAX:886-2-8919-1298 WEB:www.coremaster.com.tw

INDUCTANCE VS CURRENT

CUSTOMER:	DATE:
PART NO: SRI0605B-330M	DWG.NO: DL0618935
CUSTOMER PART NO :	CUST.DWG.NO :

CURRENT VS INDUCTANCE					
IDC(A)	INDUCTANCE (uH)				
0	32.1				
0.5	30.1				
1.0	27.8				
1.3	26.6				
1.4	24.5				



APPROVED BY 吳載敏	CHECKED BY 張明德	DRAWN BY Vicky
--------------------	-------------------	-------------------

CORE MASTER ENTERPRISE CO., LTD.

TEL:886-2-8919-1288 FAX:886-2-8919-1298 WEB:www.coremaster.com.tw