



SPECIFICATION FOR APPROVAL

CUSTOMER:		DATE:
PART NO: SRI0605B-331M		DWG.NO: DL0620111
CUSTOMER PART NO:		CUST.DWG.NO:
(1) DIMENSION(UNIT: mm) 		A 6.6 ± 0.3 m/m
		B 6.2 ± 0.3 m/m
		C 5.0 (MAX) m/m
		D 4.0 (REF) m/m
		E 1.5 (REF) m/m
		G 2.5 (REF) m/m
		H 1.8 (REF) m/m
		L 7.0 (REF) m/m
		(2)ELECTRICAL REQUIREMENTS
L (uH)	330 ± 20%	
RDC (Ω)	2.0 (MAX)	
IDC (A)	0.4 (MAX)	
TEST CONDITION	1KHZ / 1V	
(4)MATERIAL LIST		
NO/ITEM	MATERIAL	SUPPLIER
CORE	DR4×4.4 B2.4 F3.2 RI6.2×4.3×4.4 或同等級	昱欣
WIRE TYPE	2UEW φ 0.11m/m 或同等級	上海中馬
WINDING	98.5 TS (REF)	
BASE	電木 LS-B067 或同等級	碩誠
		APPROVED BY 吳載敏
		CHECKED BY 張明德
		DRAWN BY Vicky

CORE MASTER ENTERPRISE CO., LTD.

TEL:886-2-8919-1288 FAX:886-2-8919-1298 WEB:www.coremaster.com.tw

TEST DATA

CUSTOMER:				DATE:			
PART NO: SRI0605B-331M				DWG.NO: DL0620111			
CUSTOMER PART NO :				CUST.DWG.NO :			
TEST CONDITION: 1KHZ / 1V				DIMENSION (UNIT : mm)			
ITEM	L (uH)	RDC (Ω)	IDC (A)	A	B	C	
SPEC	330 ± 20%	2.0 (MAX)	0.4 (MAX)	6.6 ± 0.3	6.2 ± 0.3	5.0 (MAX)	
1	340	1.62	OK	6.55	6.25	4.76	
2	330	1.60	OK	6.57	6.27	4.77	
3	317	1.61	OK	6.54	6.27	4.84	
4	315	1.60	OK	6.59	6.24	4.98	
5	331	1.59	OK	6.57	6.23	4.84	
6	329	1.60	OK	6.64	6.21	4.83	
7	340	1.61	OK	6.60	6.27	4.84	
8	319	1.60	OK	6.60	6.24	4.85	
9	331	1.59	OK	6.57	6.29	4.76	
10	329	1.60	OK	6.57	6.23	4.77	
X	328	1.60		6.58	6.25	4.82	
R	25	0.03		0.10	0.08	0.22	
TEST INSTRUMENTS HIOKI3532-50 LCR METER VR-131 RDC METER VR116+VR7220 BA/S CURRENT				APPROVED BY 吳載敏			
				CHECKED BY 張明德			
				DRAWN BY Vicky			


CORE MASTER ENTERPRISE CO., LTD.

TEL:886-2-8919-1288 FAX:886-2-8919-1298 WEB:www.coremaster.com.tw

INDUCTANCE VS CURRENT

CUSTOMER:	DATE:
PART NO: SRI0605B-331M	DWG.NO: DL0620111
CUSTOMER PART NO :	CUST.DWG.NO :

CURRENT VS INDUCTANCE					
IDC(A)	INDUCTANCE (uH)				
0	327.6				
0.20	323.5				
0.30	313.2				
0.40	264.0				
0.45	235.0				



APPROVED BY 吳載敏	CHECKED BY 張明德	DRAWN BY Vicky
--------------------	-------------------	-------------------

CORE MASTER ENTERPRISE CO., LTD.

TEL:886-2-8919-1288 FAX:886-2-8919-1298 WEB:www.coremaster.com.tw