


Onka®

MRK 4mm² VİDA BAĞLANTILI RAY KLEMENS



Ürün Kodu: 1022



Ölçüler

Ölçüler(mm)	
A	40
B	40
C	34.5
D	36.5
E	6.7

Materyaller

Gövde	PA6.6	
Köprü	Bakır	
Kontak	CK45Çelik	
Vida	Çelik	
Sıcaklık	-40°C,+140°C	
SoymaBoyutu	10mm	
Tork	0,5Nm	
Veri	TSE/CE	UL
Gerilim	750V	300V
Akım	32A	32A
Kesit	4,0mm ²	10AWG
Norm	EN-60947-7-1	UL1059

Renk

	V2	V0	
RENK	Sip.No.	Sip.No.	Adet
GRI	1022	0772	100
KREM	1023	0773	100
SİYAH	1024	0774	100
MAVİ	1025	0775	100
K.RENGİ	1026	0776	100
KIRMIZI	1027	0777	100
SARI	1028	0778	100
YEŞİL	1029	0779	100

Köprü

Sip.No.	Kesit	Adet
1930	4/2	100
1931	4/3	100
1932	4/4	50
1933	4/10	30
1934	4/20	20

Durdurucu

Durdurucu-1202,1212,1222

Grup Etiketi

GrupEtiketi-1232

Markalama

Markalama-9770/4390/5443/4442/9540/7301