


Onka®

MRK 16mm² VİDA BAĞLANTILI RAY KLEMENS



Ürün Kodu: 1052



Ölçüler

Ölçüler(mm)	
A	58
B	63.2
C	34.5
D	61.2
E	12

Materyaller

Gövde	PA6.6	
Köprü	Bakır	
Kontak	CK45Çelik	
Vida	Çelik	
Sıcaklık	-40°C,+140°C	
SoymaBoyutu	18mm	
Tork	2,0Nm	
Veri	TSE/CE	UL
Gerilim	750V	600V
Akım	76A	63A
Kesit	16mm ²	6AWG
Norm	EN-60947-7-1	UL1059

Renk

	V2	V0	
RENK	Sip.No.	Sip.No.	Adet
GRİ	1052	0802	50
KREM	1053	0803	50
SİYAH	1054	0804	50
MAVİ	1055	0805	50
K.RENGİ	1056	0806	50
KIRMIZI	1057	0807	50
SARI	1058	0808	50
YEŞİL	1059	0809	50

Köprü

Sip.No.	Kesit	Ad.
2257	16/2	50
2258	16/3	40
2259	16/4	40
2260	16/5	25
2265	16/10	10

Durdurucu

Durdurucu-1202,1212,1222

Grup Etiketi

GrupEtiketi-1232

Markalama

Markalama-9770/2630/4442/9540/7301