













## Which function we have?



Enhance printing stablity




Newly Soft magnetic sticker




MeanWell Power supply



DIY assembly





Heating up with only 5 minutes



Print with high precision



Easier to level



Resume printing while power-off


## Overall parameter list

Printing Method	FDM (Fused Deposition Molding)
Printing Size	220*220*250mm
Printing Speed	±0.1mm
Nozzle Diameter	Standard0.4mm,can be in 0.2,0.3mm
Bed Temp.	<110°C
Working Mode	Online or SD card offline
File Format	STL,obj,amf
Slice Software	Cura, Repetier-Host ,Simplify3D
Power Supply	Input:AC 100-120V/6.8A 200-240V/3.4A 50/60Hz Output:DC 24V 270W
Filament	1.75mm PLA,ABS,Wood,TPU,gradient color,carbon fiber,etc.
N.W.	6.9kg
Machine Size	440*440*465mm
G.W.	8.9kg
Package Size	595*495*165mm



## DIY assembly


Enjoy more fun of DIY, easier to realize the innovative transformation of the appearance and meet more of your printing needs.



## Stable power supply

Meanwell power supply, which made by the listed company over 30 years mature technology, provide you the best user experience and worth trying.





Model	Desktop 3D Printer
Printing Method	FDM(Fused Deposition Molding)
Printing Size	220*220*250mm
Printing Speed	±0.1mm
Nozzle Diameter	Standard0.4mm, can be in 0.2 0.3 mm
Bed Temp.	≤110°C
Working Mode	Online or SD card offline
File Format	STL, obj, amf
Slice Software	Cura, Repetier-Host, Simplify3D
Power Supply	Input: AC100-120V/6.8A 200-240V/3.4A/ 50/60Hz, Output:DC 24 V 270W
Filament	1.75mm PLA, ABS, Wood, TPU, Gradient color, carbon fiber, etc.
N.W	6.9KG
Machine Size	440-440-465mm
G.W	8.9KG
Package Szie	595*495*165mm