
() seeed



LoNet - Mini GSM/GPRS/GPS Breakout

SKU 113990096

Description

We have an updated product: LoNet 808 - Mini GSM/GPRS + GPS Breakout For customers who had ordered the old version will get the new one for replace.

LoNet is a GSM and GPS two-in-one function module. It is based on the latest GSM/GPS module SIM808 from SIMCOM, supports GSM/GPRS Quad-Band network and combines GPS technology for satellite navigation.

It features ultra-low power consumption in sleep mode and integrated with charging circuit for Li-lon batteries, that make it get a super long standby time and convenient for projects that use rechargeable Li-lon battery. It has high GPS receive sensitivity with 22 tracking and 66 acquisition receiver charnels. Besides, it also supports A-GPS that available for indoor localization.

The module is controlled by AT command via UART and supports 3.3V and 5V logical level. It comes with a mini GPS and GSM antenna, but not includes Li-Po battery. In addition, to use this module, you still need an unlock SIM-Card supporting GPRS service.

FEATURES

- • Quad-band 850/900/1800/1900MHz
- • GPRS multi-slot class12 connectivity: max. 85.6kbps(down-load/up-load)
- • GPRS mobile station class B
- Controlled by AT Command (3GPP TS 27.007, 27.005 and SIMCOM enhanced AT Commands)
- • Supports charging control for Li-Ion battery
- Supports Real Time Clock
- • Supply voltage range 3.4V ~ 4.4V
- Integrated GPS/CNSS and supports A-GPS
- • Supports 3.0V to 5.0V logic level
- • Low power consumption, 1mA in sleep mode
- Supports GPS NMEA protocol
- • Compact size 27mm x 46mm x 7mm
- • Standard SIM Card

SPECIFICATION

- • Receiver channels: 22 tracking / 66 acquisition
- Coarse/Acquisition code: GPS L1
- • Tracking sensitivity: -165dBm
- • Cold start time: 30s (typ.)
- • Hot start time: 1s (typ.)
- • Warm start time: 28s (typ.)
- • Horizontal position accuracy: < 2.5m CEP
- • Power consumption Acquisition: 42mA
- • Power consumption Continuous tracking: 24mA
- • Update rate: 5Hz

PART LIST

- • 1 x LoNet Mini GSM/GPRS/GPS Breakout
- • 1 x GPS Passive Antenna 20dB Gain
- • 1 x GSM Antenna 3dB Gain
- • 1 x 9Pin Male Header

Technical Details

Dimensions	0mm x 0mm x 0mm
Weight	G.W 13g
Battery	Exclude
ECCN/HTS	
ECCN	Not Available
HSCODE	8473309000

https://www.seeedstudio.com/LoNet-Mini-GSM-GPRS-GPS-Breakout-p-2183.html 9-25-18