r		1								2	
	A TAC	SFWS-2ST SFWS-2ST	SFWS-ZST_E1 SFWS-ZST_E1 SFWS-ZST_E1 SFWS-ZST_E	SFWS-6ST SFWS-6ST SFWS-6ST SFWS-6ST_E1 SFWS-6ST_E1 SFWS-6ST_E1	SFWS-2STLF	SFW_S-2STLF SFW_S-2STM_LF SFW_S-2ST_E1LF SFW_S-2ST_E1F SFW_S-2ST_LF SFW_S-2ST_LF	31 159-5 M35	SFWS-65TLF SFWS-65TLF SFWS-65TLF SFWS-65TLF SFWS-65TLF			
A B woo		ING CAT.NO.TABLE FOR 1mm SPACING SMT CONNECTOR 1mm SPACING SURFACE MOUNT FPC/FFC CONNECTOR	1mm spazing surface mount fpc/ffc connector Cat. No. Table for plastic tape packaged 1mm spacing smt conn. Plastic tape packaged 1mm spacing smt connector Recommended cable Recommended cable	CAT.NO.TABLE FOR 1mm SPACING SMT CONNECTOR 1mm SPACING SURFACE MOUNT CIC CONNECTOR 1mm SPACING SURFACE MOUNT CIC CONNECTOR 1cm SPACING SURFACE MOUNT CIC CONNECTOR 1cat. No. TABLE FOR PLASTIC TAPE PACKAGED 1mm SPACING SMT CONN. 1cat. TAPE PACKAGED 1mm SPACING CONNECTOR 1cat. TAPE PACKAGED 1mm SPACING CONNECTOR 1cat. TAPE CONNECTOR PACKAGED 1mm SPACING CONNECTOR PRECOMMENDED CABLE	CAT.NO.TABLE FOR 1mm SPACING SMT CONNECTOR	1mm SPACING SURFACE MOUNT FPC/FFC CONNECTOR 1mm SPACING SURFACE MOUNT FPC/FFC CONNECTOR CAT. NO. TABLE FOR PLASTIC TAPE PACKAGED 1mm SPACING SMT CONN. PLASTIC TAPE PACKAGED 1mm SPACING SMT CONN.ECTOR RECOMMENDED CABLE RECOMMENDED CABLE	AAT NO TABLE FOR 1999 COACHIC CAT CONNECTOR	THE SPACING SURFACE MOUNT CIC CONNECTOR THE SPACING SURFACE MOUNT CIC CONNECTOR THE SPACING SURFACE MOUNT CIC CONNECTOR CAT. NO. TABLE FOR PLASTIC TAPE PACKAGED 1mm SPACING SMT CONN. RECOMMENDED CABLE RECOMMENDED CABLE		В	-
FCIconnect.com	Ducuments	1		SC-SFWS02 JSA93900 JSA93905 JSA93901 JSA93902 JSA93903 F				JSA96522 JSA96522 JSA96524 JSA96524 JSA96525 JSA9304 EJM-SFWS102			
\bigcirc	Configuration of	Specification Connector dwg.	Cable dwg. Manual	Specification Connector dwg.	Manual Specification Connector dwa.	Cable d≋g.	Manual Specification	Collie dwg. Manual			
FG.		P/N SFW_S-2ST(M)E1		SFW_S-6ST(M)E1	SFW_S-2ST(M)E1LF		SFW_S-6ST(M)E1LF			_ <u>C</u>	2
Copyright FCI.	B J05-0377 I	dr date H.T 6/3/ H.T 6/22 H.T 10/19	705 7'05 angles 97'06	tolero	ance 406 1101 pecified	projectio mm scale 2	t	(1mm Spa	nents Configurat		
D	sheet revisindex shee			R. Short 1	0/19/66 0/19/66 0/19/66 0/20/66	FC			sheet 1 of 96060 stomer Drawin	A4 g Rev C)
nope mensistricità di Milliferazzona nongo a ramas s ce	form: A4		Chine ha ille well and grave which the new arrange over a residence	and a second distribution of the second	1 PDI	M: Rev:C		sтатиs: Releas e	ed Printed: Fe	2 eb 09, 2010)

В

C

CAT. NO. & DIMENSIONS

NOTE3	NO. OF CONTACTS	CAT. NO.	DIME	NSIONS (N	OTE2)
NOILS	(n)	0,1,1,1,0,1	A ±0.2	B±0.2	C±0.2
	4	SFW4S-2STLF	10.4	5.24	3
	5	SFW5S-2STLF	11.4	6.24	4
	6	SFW6S-2STLF	12.4	7.24	5
*	7	SFW7S-2STLF	13.4	8.24	6
	8	SFW8S-2STLF	14.4	9.24	7
*	9	SFW9S-2STLF	15.4	10.24	8
	10	SFW10S-2STLF	16.4	11.24	9
	11	SFW11S-2STLF	17.4	12.24	10
*	12	SFW12S-2STLF	18.4	13.24	11
	13	SFW13S-2STLF	19.4	14.24	12
	14	SFW14S-2STLF	20.4	15.24	13
	15	SFW15S-2STLF	21.4	16.24	14
	16	SFW16S-2STLF	22.4	17.24	15
	17	SFW17S-2STLF	23.4	18.24	16
*	18	SFW18S-2STLF	24.4	19.24	17
*	19	SFW19S-2STLF	25.4	20.24	18
	20	SFW20S-2STLF	26.4	21.24	19
*	21	SFW21S-2STLF	27.4	22.24	20
	22	SFW22S-2STLF	28.4	23.24	21
	23	SFW23S-2STLF	29.4	24.24	22
	24	SFW24S-2STLF	30.4	25.24	23
*	25	SFW25S-2STLF	31.4	26.24	24
	26	SFW26S-2STLF	32.4	27.24	25
*	27	SFW27S-2STLF	33.4	28.24	26
	28	SFW28S-2STLF	34.4	29.24	27
	29	SFW29S-2STLF	35.4	30.24	28
	30	SFW30S-2STLF	36.4	31.24	29
*	31	SFW31S-2STLF	37.4	32.24	30
*	32	SFW32S-2STLF	38.4	33.24	31

CAT. NO. SFW (n) S - 2 ST - LFSERIES NO. OF CONTACTS STRAIGHT TYPE FOR FPC / FFC VARIATION STM: FOR AUTOMATIC MOUNTING (SMT) WITH MOUNTING PLATE ST: FOR AUTOMATIC MOUNTING (SMT) WITHOUT MOUNTING PLATE PACKAGE STYLE LEAD FREE -

Α

С

D

Copyright FCI.

NOTES


- 1. THIS PRODUCT IS THE CONNECTOR, DESIGNED TO TREMINATE FPC/FFC AND COPES WITH AUTOMATIC MOUNTING (SMT).
- 2. SEE PART DRAWINGS FOR DIMENSIONS A.B.C.
- 3. PLEASE CONSULT US IN CASE OF USING PARTS WITH * MARK

					·															
ma	t'l. cod	е				ce ₅₈ /	tole		pr	oject	ion	product family					585	F		DDE
					ISO 13		ISC			\triangle \sim	1							•	'	JP
ltr	ecn no	dr	dat	е	tolera	nces un othe	ess wise	specifie	ed	(Ψ) ∈	J	title	,	`^T	NO	TADI	L L	·		
Α	J05-0377	H.T	2005-		angles			•		mm		CAT. NO. TABLE FOR 1mm SPACING SMT CONNECTOF (CAT.No.SFWS-2STLF)						-CTO	ıR	
В	J05-0547	H.T	2005-	8-30	ungios	'∐linear				-								``		
С	J06-0430	H.T	2006-	-10-19					sc	ale	χ	(CA1.No.5FW5-251L				Lr)			
D	J07-0407	H.T	2007-	8-9	dr	A-tabel	tiZa	2007-8-	9			dwg	no			s	heet	t 1 o	f 1	size
					engr	f-take	tula	2007-8-	9	FC	, 1				.154	96	516			A A
					chr /	Ř Sh	otopic"	2007-8-	19						00/1	300	<i>-</i>			<u>A4</u>
					appd	P. alada	w	S-100c	16	0		type	e P	rodu	ct C	usto	mer	Draw	ing	
she	et rev	/isior	D																	Rev
ind	ex sh	eet	1																	D


SC-SFWS 03 JSA96517 96518 96519 96520 93340 93341 form: A4

STATUS: Released Printed: Feb 09, 2010

PDM: Rev:D



PDM: Rev:C STATUS: Released Printed: Feb 09, 2010



PDM: Rev:C STATUS: Released Prin

US:Released Printed: Feb 09, 2010

Α

В

С

D

CAT. NO. & DIMENSIONS

(NOTE4)	NO. OF CONTACTS	CAT. NO.	DIME	vsions ((NOTE3)		
(110164)	(n)	(NOTE2)	D ± 5	E ± 0.3	F ± 0.1		
	4	SFW4S-2ST_E1LF	28.4	24			
	5	SFW5S-2ST_E1LF	28.4	24			
	6	SFW6S-2ST_E1LF	28.4	24			
*	7	SFW7S-2ST_E1LF	28.4	24			
	8	SFW8S-2ST_E1LF	28.4	24			
*	9	SFW9S-2ST_E1LF	28.4	24			
	10	SFW10S-2ST_E1LF	28.4	24			
	11	SFW11S-2ST_E1LF	28.4	24			
*	12	SFW12S-2ST_E1LF	36.4	32	28.4		
	13	SFW13S-2ST_E1LF	36.4	32	28.4		
	14	SFW14S-2ST_E1LF	36.4	32	28.4		
	15	SFW15S-2ST_E1LF	36.4	32	28.4		
	16	SFW16S-2ST_E1LF	48.4	44	40.4		
	17	SFW17S-2ST_E1LF	48.4	44	40.4		
*	18	SFW18S-2ST_E1LF	48.4	44	40.4		
*	19	SFW19S-2ST_E1LF	48.4	44	40.4		
	20	SFW20S-2ST_E1LF	48.4	44	40.4		
*	21	SFW21S-2ST_E1LF	48.4	44	40.4		
	22	SFW22S-2ST_E1LF	48.4	44	40.4		
	23	SFW23S-2ST_E1LF	48.4	44	40.4		
	24	SFW24S-2ST_E1LF	48.4	44	40.4		
*	25	SFW25S-2ST_E1LF	48.4	44	40.4		
	26	SFW26S-2ST_E1LF	48.4	44	40.4		
*	27	SFW27S-2ST_E1LF	60.4	56	52.4		
	28	SFW28S-2ST_E1LF	60.4	56	52.4		
	29	SFW29S-2ST_E1LF	60.4	56	52.4		
	30	SFW30S-2ST_E1LF	60.4	56	52.4		
*	31	SFW31S-2ST_E1LF	60.4	56	52.4		
*	32	SFW32S-2ST_E1LF	60.4	56	52.4		

CAT. NO. SFW (n) $S - 2 ST_{\perp} - LF$ SERIES NO. OF CONTACTS STRAIGHT TYPE FOR FPC / FFC VARIATION STM:FOR AUTOMATIC MOUNTING (SMT) WITH MOUNTING PLATE ST:FOR AUTOMATIC MOUNTING (SMT) WITHOUT MOUNTING PLATE PACKAGE STYLE LEAD FREE **NOTES**

- 1. THIS PRODUCT IS THE CONNECTOR DESIGNED TO TERMINATE FPC/FFC AND COPES WITH AUTOMATIC MOUNTING (SMT).
- 2. THIS CATALOG NO. INDICATES PLASTIC TAPE PACKAGED CONNECTOR.
- 3. SEE PART DRAWINGS FOR DIMENSIONS D~F.
- 4. PLEASE CONSULT US IN CASE OF USING PARTS WITH * MARK.

100.0	t'l. co	al a		*********	ourfa		+ 010				1:	T	J L	£	!1				10	<u> </u>
ma	ti. co	ue			surfa	. /	150 406			projec	product family					58SI		ODE JP		
 			T		ISO 13		ISO 1101			(() 										
Itr	ecn r	o dr	dat	e	tolerar	öther	less rwise specified			\Box	title									
Α	J05-0377	H.T	2005	-6-22	analoo			•		mr	n	CAT NO. TABLE FOR PLASTIC TAPE								1
В	J05-0547	H.T	2005-	-8-30	angles	linear	r				PACKAGED 1mm SPACING SMT CO)NN.		
С	J06-0430	H.T	2006-	-10-19						scale	$\overline{\chi}$		(CAT.No.SFWS-2ST_E1LF)							
D	J07-0407 H.T 2007-8-9		-8-9	dr	4-1000	uZa	2007-8	-9			dwg	no			S	hee	t 1 o	f 1	size	
					engr	4-15-60	towa 2007-8-9		-9	FCi		AZI.			96	96519				
					chr /	R. Show	1.5	2007-8	-9	, ,					001	, ,	, ,	,		$ A_4 $
					appd	Unda	are S	3007-6	8-16	Que		type	P	rodu	ct C	usto	mer	Draw	ing	
she	et re	visior	D																	Rev.
inde	ex sł	neet	1																	D

SC-SFWS 03 JSA96516 96520 form: A4

PDM: Rev:D

STATUS: Released

Printed: Feb 09, 2010


В

Α

С

Copyright FCI.

D



PDM: Rev:B

STATUS: Released

Printed: Feb 09, 2010




<u>A</u>


В

С

D



n: NO. OF CONDUCTORS



Copyright FCI.

()

D

Α

 \bigcirc

PT. NO.	DESCRIPTION	MATERIAL	THICKNESS (μm)
1	BASE FILM	POLYIMIDE OR POLYESTER OR EQUIVALENT	25
2	CONDUCTOR	COPPER FOIL(PLATING : SOLDER 1 µm MIN.)	35
3	OVERLAY	POLYIMIDE OR POLYESTER OR EQUIVALENT	
4	SUPPORTING TAPE	POLYESTER OR POLYIMIDE OR EQUIVALENT	188

NOTES

- 1. NO BURR AT EACH PORTION.
- 2. NO PEELING IN COMMON USE.
- 3. TOTAL THICKNESS LIMIT OF EACH MATERIAL (INCLUDING ADHESIVE AGENT) IS SPECIFIED.

ma	t'l. code)		ISO 1		toleran ISO 40 ISO 11	01	projection		proc	luct f	amily		58SF (
ltr	ecn no	dr	date	tolero	nces un other	ess wise spe	cified	(() (\supset	title								
AA	JD4-0333	H.T	Oct.13,1	04				mm]	R	ECOM	MENE	DED (CABLE	<u> </u>		
AB	J06-0430	H.T	10/19/	angle	linear						(CA	T.No.S	FW	5-29	ST	١		
							S	cale	\propto		(0.		· · · · · · · · · · · · · · · · · · ·	J	.,			
				dr	11-000	ETCO 10/1	9/66			dwg no			sheet 1 of 1					
	***************************************			engr chr	2. 8h	Mathe 10/1	9/06	FC	7 3 1		JSA			93340				
				appd	S. Guda		rolol	Z		type	Proc	luct (Custo	mer	Drawi	ing A		
she	et rev	ision	AB													Re		
inde	ex she	et	1													A		

form: A4

PDM: Rev:AB

STATUS: Released

Printed: Feb 09, 2010



A


В

<u>C</u>

D

RECOMMENDED CABLE (FFC)

n: NO. OF CONDUCTORS



2》



<u>A</u>



Copyright FCI.

PT. NO.	DESCRIPTION	MATERIAL	NOTE
1	INSULATOR	FLAME RESISTING POLYESTER OR EQUIVALENT	
2	CONDUCTOR	COPPER FOIL	PLATING: TIN OR SOLDER 1 µm MIN.
3	SUPPORTING TAPE	FLAME RESISTING POLYESTER OR EQUIVALENT	

NOTES

- 1. NO BURR AT EACH PORTION.
- 2. NO PEELING IN COMMON USE.

ma	t'l. cod	9		1	ISO 1302 V ISO 1101					oroject	tion	prod	duct	farr	nily		585		ODE JP	
Itr	ecn no	dr	date	;	toleran	ces unl	ess Wise	specif	ied	(4) [\neg	title								
AA	J04-0333	H.T	Oct.13,'(D4 ,	analar					mr	1			REC	MMC	1END	ED (CABLE	-	
AB	J06-0430	H.T	10/19/	'06	angles	linear						(CAT.No.SFWS-2ST)								
						jā.	4		5	scale	χ			OA I.I	10.0	" ""	_5 2	J'	_/	
				C	dr	Harka	Enter	10/191	66			dwg	no			5	hee	t 1 o	f 1	size
					engr // / / 10/19/ chr R Shown /0/19/			FC		JSA 93341							Α4			
		†				P. Avel ai		10/20				type	Pr	oduc	t C	usto	mer	Draw	ing	
she	et rev	ision	AB																	Rev.
ind	ex she	eet	1																	AB

form: A4

D

•

STATUS: Released

Printed: Feb 09, 2010

PDM: Rev:AB