

Common Mode Filters / Chokes ACM12V-701-2PL-TL00

RoHS Reach Pb Free

Applications	Automotive Grade
	Wire Wound Wire Wound
Feature	AEC-Q200 AEC-Q200
	Power Power Line
Series	ACM
Status	Production
Brand	TDK



Size		
Length(L)	12.00mm ±0.30mm	
Width(W)	11.00mm ±0.30mm	
Thickness Height	6.00mm Max.	

Electrical Characteristics		
Common-mode Impedance [Typ.]	700Ω at 100MHz	
Common-mode Impedance [Min.]	500Ω at 100MHz	
Common-mode Inductance	7.6μH at 1MHz (Ref.)	
Rated Current	8A	
Rated Voltage	80VDC	
Insulation Resistance [Min.]	10ΜΩ	
DC Resistance	6mΩ Max.	

Other		
Operating Temp. Range	-40 to 125°C	
Soldering Method	Reflow	
Soldering Method	Iron Soldering	
AEC-Q200	YES	
Packing	Embossed (Plastic)Taping [330mm Reel, Tape width 24mm]	
Package Quantity	500pcs	
Weight	2.3g	

[!] Images are for reference only and show exemplary products.


[!] This PDF document was created based on the data listed on the TDK Corporation website.


 $^{! \ \}mbox{All specifications}$ are subject to change without notice.

RoHS Reach Pb Free

ACM12V-701-2PL-TL00

Characteristic Graphs(This is reference data, and does not guarantee the products characteristics.)






[!] Images are for reference only and show exemplary products.


[!] This PDF document was created based on the data listed on the TDK Corporation website.


 $^{! \ \}mbox{All specifications}$ are subject to change without notice.

RoHS Reach Pb Free

Associated Images







[!] Images are for reference only and show exemplary products.

[!] This PDF document was created based on the data listed on the TDK Corporation website.

 $^{! \ \}mbox{All specifications}$ are subject to change without notice.