


SPECIFICATION FOR APPROVAL

CUSTOMER:				DATE:					
PART NO: LCB1608-151Y-N				DWG.NO: TE9873045					
CUSTOMER PART NO:				CUST.DWG.NO:					
(1) DIMENSIONS (UNIT: mm) <div style="text-align: center; margin: 10px 0;">  </div>				A	1.6 ± 0.2	m/m			
				B	0.8 ± 0.2	m/m			
				C	0.8 ± 0.2	m/m			
				D	0.3 ± 0.2	m/m			
				E		m/m			
				F		m/m			
				G		m/m			
				H		m/m			
				I		m/m			
				J		m/m			
(2) ELECTRICAL REQUIREMENTS									
Z (Ω)	$150 \pm 25\%$	TEST FREQ	100MHz/100mV						
RDC (Ω)	0.08 (MAX)	TEST FREQ							
IDC (mA)	2000 (MAX)	TEST FREQ							
TEST INSTRUMENTS HP4338A MILLIOHMMETER HP4291B RF IMPEDANCE/MATERIAL ANALYZER				APPROVED BY <div style="text-align: right;">吳載敏</div>					
				CHECKED BY <div style="text-align: right;">張明德</div>					
				DRAWN BY <div style="text-align: right;">黃慧診</div>					

CORE MASTER ENTERPRISE CO., LTD.

TEL:886-2-8919-1288 FAX:886-2-8919-1298 WEB:www.coremaster.com.tw

TEST DATA

CUSTOMER :				DATE :					
PART NO: LCB1608-151Y-N				DWG.NO: TE9873045					
CUSTOMER PART NO :				CUST.DWG.NO :					
ITEM	Z (Ω)	RDC (Ω)	IDC (mA)	DIMENSION (UNIT : mm)					
				A	B	C	D		
FREQ	100MHz /100mV								
SPEC	150 ± 25%	0.08 (MAX)	2000 (MAX)	1.6 ± 0.2	0.8 ± 0.2	0.8 ± 0.2	0.3 ± 0.2		
1	145.2	0.051	OK	1.60	0.80	0.81	0.32		
2	138.7	0.054	OK	1.60	0.80	0.83	0.30		
3	154.3	0.052	OK	1.64	0.81	0.80	0.31		
4	146.6	0.053	OK	1.64	0.82	0.83	0.30		
5	144.5	0.048	OK	1.62	0.81	0.84	0.33		
6	146.4	0.051	OK	1.61	0.82	0.82	0.32		
7	152.5	0.050	OK	1.63	0.83	0.82	0.30		
8	138.1	0.050	OK	1.63	0.83	0.81	0.28		
9	149.0	0.049	OK	1.61	0.83	0.80	0.32		
10	138.2	0.051	OK	1.62	0.81	0.80	0.33		
X	145.4	0.051		1.62	0.82	0.82	0.31		
R	16.2	0.006		0.04	0.03	0.04	0.05		
						APPROVED BY			
						吳載敏			
						CHECKED BY			
						張明德			
						DRAWN BY			
						黃慧診			

CORE MASTER ENTERPRISE CO., LTD.

TEL:886-2-8919-1288 FAX:886-2-8919-1298 WEB:www.coremaster.com.tw

LCB1608-151Y-N

