PRODUCT-DETAILS

OFAF4H1000

OFAF4H1000 HRC FUSE LINK



General Information

Extended Product Type:	OFAF4H1000
Product ID:	1SCA022627R7750
EAN:	6417019206196
Catalog Description:	OFAF4H1000 HRC FUSE LINK
Long Description:	Fuselink, rated current 1000A, size NH4, rated voltage 500VAC / 250VDC, utilization category gG, rated breaking capacity 120 kA (AC) / 70 (kA DC)
Display Name:	OFAF4H1000

ABB EcoSolutions

Environmental Information:	1SCC317009D0201

Material Compliance

Conflict Minerals Reporting Template (CMRT):	9AKK108467A5658
REACH Declaration:	1SCC011021D0201

© 2026 ABB. All rights reserved.

RoHS Declaration:	1SCC011020D0201
RoHS Information:	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019

Popular Downloads

Data Sheet, Technical Information:	1SCC317001C0201
Instructions and Manuals:	No Instructions and Manuals needed

Ordering

Minimum Order Quantity:	1 piece
Customs Tariff Number:	85361090
Country of Origin:	Hungary

Dimensions

Product Net Width:	68 mm
Product Net Height:	200 mm
Product Net Depth / Length:	119 mm
Product Net Weight:	2 kg

Container Information

Package Level 1 Units:	box 1 piece
Package Level 1 Width:	68 mm
Package Level 1 Depth / Length:	200 mm
Package Level 1 Height:	119 mm
Package Level 1 Gross Weight:	2.1 kg
Package Level 1 EAN:	6417019206196

Technical

Fuse Size:	NH4
Fuse System:	DIN
Fuse Type:	gG
Power Loss:	at Rated Current 73.5 W
Rated Current (I_n):	1000 A
Rated Voltage (U_r):	500 V
Standards:	IEC 60269
Utilization Category:	gL/gG (Cable protection/equipment protection)

© 2026 ABB. All rights reserved.

Certificates and Declarations

Declaration of Conformity - CE:	1SCC317005D2706

External Classifications and Standards

Object Classification Code:	F
ETIM 9:	EC000055 - Knife blade fuse
ETIM 10:	EC000055 - Knife blade fuse
UNSPSC:	39121600
eClass:	V11.1 : 27142005
WEEE Category:	5. Small Equipment (No External Dimension More Than 50 cm)
E-Number (Finland):	3112490

Categories

Products > Low Voltage Products and Systems > Fusegear > Fuse Links



© 2026 ABB. All rights reserved.